


This drawing is confidential and must not be reproduced or used without the consent of EXM

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100W121006\1100W121006.idw

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



No.	Revisions	Date	By/Par

		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm Projection 	
Customer Client			Date		
Drawn By Dessiné Par			BoxCad: BoxCad Date 12/26/2013		
Material Matière 16 Ga Cold Rolled A1008 CS Type B (1.4mm)					
Color Couleur			Finish Fini		
Asa-61 Grey			Smooth		
Description				Detail Rev.	
1100W 12" x 10" x 6" Assembly					
Part Number Numéro Pièce				Rev.	
1100W121006				0	
				1 8	

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100W121006\1100W121006.idw

Tolérance ±1/32" sauf spécification contraire

NOTE


ITEM	DESCRIPTION
1	NEMA 1 Enclosure
2	C/W Standard ground standoffs on box and cover
3	W/O Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting standoffs

No.

Revisions

Date

By/Par



Isometric View






Tél: (450) 979-4373

Fax: (450) 979-4626


www.exmweb.com

Flatness

Aplatissement

Max 3.0mm

Projection



Customer Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 12/26/2013

Material
Matière

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

1100W 12" x 10" x 6" Assembly

Detail Rev.

Part Number
Numéro Pièce

1100W121006

Rev.

0

2

8

1	1100W121006B	0	1100W 12" x 10" x 6" Body
1	1100W121006C	0	1100W 12" x 10" Cover
1	STK-K-00200	1	M6 x 8mm Hexagon/Slot Screw (Bag of 6)
1	880 SP1210	0	880 SP1210 - Inner Panel
2	STK-Q-08100	1	M5 Nylon Insert Lock Nut
Qty	Part Number	Rev	Description
Parts List			

PACKING

ITEM	QTY	DESCRIPTION
Cardboard sleeve	1	Top
Thermal plastic film	1	Use with Packing Tunnel Wrapper Machine
Packaging label	1	White label with product number

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100W121006\1100W121006.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK



LEFT




FRONT




RIGHT



BOTTOM



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 12/26/2013

Material
Matière

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

1100W 12" x 10" x 6" Body

Detail Rev.

Part Number
Numéro Pièce

1100W121006B

Rev.

3

0

8

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100W121006\1100W121006.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	0.875	11.125	IP STANDOFF M6 x 10mm (Inside)
2	0.875	0.875	IP STANDOFF M6 x 10mm (Inside)
3	9.125	0.875	IP STANDOFF M6 x 10mm (Inside)
4	9.125	11.125	IP STANDOFF M6 x 10mm (Inside)
-----	-----	-----	-----
5	1.000	11.656	RND Ø0.305
6	1.000	0.344	RND Ø0.305
7	9.000	0.344	RND Ø0.305
8	9.000	11.656	RND Ø0.305



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




	Description 1100W 12" x 10" x 6" Body	Status (NULL)	
	Part Number Numéro Pièce 1100W121006B	Rev. 0	4 8

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100W121006\1100W121006.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 12/26/2013	
Material Matière 16 Ga Cold Rolled A1008 CS Type B (1.4mm)			
Color Couleur Asa-61 Grey		Finish Fini Smooth	
Description 1100W 12" x 10" x 6" Body			Detail Rev.
Part Number Numéro Pièce 1100W121006B			Rev. 0
			5 8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
2	STK-Q-77110	1	5412 ES Cover Plastic Plug
5	STK-Q-08350	5	Standoff M6 x 10mm
1	1100W121006B-P	0	1100W 12" x 10" x 6" Body Part
Qty	Part Number	Rev	Description
Parts List			


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32"$ unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100W121006\1100W121006.idw

Tolérance $\pm 1/32"$ sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 12/26/2013

Material
Matière

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

1100W 12" x 10" Cover

Detail Rev.

Part Number
Numéro Pièce

1100W121006C

Rev.

6
8

0

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100W121006\1100W121006.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	9.125	6.296	LOCK 880 SCQ1-SLZ @ 0.0°



	Description	Status	
	1100W 12" x 10" x 6" Cover	(NULL)	
	Part Number	Rev.	7
	Numéro Pièce	0	8
1100W121006C			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100W121006\1100W121006.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 12/26/2013
Material Matière 16 Ga Cold Rolled A1008 CS Type B (1.4mm)	

Color Couleur Asa-61 Grey	Finish Fini Smooth
------------------------------	-----------------------

Description 1100W 12" x 10" Cover	Detail Rev.
--------------------------------------	-------------

Part Number Numéro Pièce 1100W121006C	Rev. 0	8 8
--	------------------	--------

1	880 SCQ1-SLZ	0	1100 1/4 Turn Lock
6	STK-Q-60702	1	880 WK - Lexan 1/4" Fixing Bracket
6	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	1100W121006LX	0	1100W 12" x 10" x 6" Lexan
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1100W121006C-P	0	1100W 12" x 10" x 6" Cover Part
2	STK-A-33033	4	5412 ESMCH Hinge
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\880SP\880SP1210.idw

Tolérance ±1/32" sauf spécification contraire




TOP



FRONT

R0.125


10.880




RIGHT

0.000

No.	Revisions	Date	By/Par



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm


Projection



Customer Client		Date	
Drawn By Dessiné Par BoxCad		Date 23-Jan-07	
Material Matière 14 Ga Cold Rolled A1008 CS Type B			
Color Couleur White		Finish Fini Smooth	
Description 880 SP1210 - Inner Panel			Detail Rev.
Part Number Numéro Pièce 880 SP1210		Rev. 0	1 2


SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 				
Customer Client		Date				
Drawn By Dessiné Par BoxCad		Date 23-Jan-07				
Material Matière 14 Ga Cold Rolled A1008 CS Type B						
Color Couleur White		Finish Fini Smooth				
Description 880 SP1210 - Inner Panel		Detail Rev.				
Part Number Numéro Pièce 880 SP1210		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: center;">Rev.</td> <td style="width: 50%; text-align: center;">2</td> </tr> <tr> <td style="text-align: center; font-size: 1.2em;">0</td> <td style="text-align: center; font-size: 1.2em;">2</td> </tr> </table>	Rev.	2	0	2
Rev.	2					
0	2					

1	STK-P-02401S	0	Powder Paint (White / Smooth)
1	880 SP1210-P	0	880 SP1210 - Inner Panel Part
Qty	Part Number	Rev	Description
Parts List			