

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

[illegible]

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of Eurobex


Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS05205\1412BTSS05205.idw

Tolérance $\pm 1/32$ " sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex



	Description		Status	
	1412BTSS 225A - 5Wires x 60" Assembly		(NULL)	
	Part Number Numéro Pièce 1412BTSS05205		Rev. 0	2 11

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS05205\1412BTSS05205.idw


Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 4X Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	C/W Special inner panel (Sold separately)
5	C/W Standard inner panel mounting studs

No.	Revisions	Date	By/Par



Isometric View




PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

4	STK-Q-04051-07	8	M6 x 7mm Stainless Steel Hexagon Socket Head Machine Screw with Nyseal
1	885 ESMF2	0	885 ESMF2 Stainless Steel Mounting Feet Kit
1	1412BTSS05205BAR4-P	0	Rounded Edge Aluminum Bar 1/4" x 1"
1	1412BTSS05205BAR1-P	0	Rounded Edge Aluminum Bar 1/4" x 1"
1	1412BTSS05205BAR2-P	0	Rounded Edge Aluminum Bar 1/4" x 1"
1	1412BTSS05205BAR3-P	0	Rounded Edge Aluminum Bar 1/4" x 1"
1	1412BTSS05205BAR5-P	0	Rounded Edge Aluminum Bar 1/4" x 1"
1	1412BTSS05205IP1	0	1412BTSS 24.625" x 38" Inner Panel
15	STK-A-67400	0	Buss Bar Insulator Kit
1	STK-K-01800	5	5412 ES Accessory Kit
21	STK-Q-07310	2	Flange Lock Nut M8
6	STK-Q-07610	8	M8 Plastic Spacer 22.2mm
1	1412BTSS05205B	0	1412BTSS 26" x 60" x 8" Body
1	1412BTSS05205C	0	1412BTSS 26" x 60" Cover
Qty	Part Number	Rev	Description
Parts List			



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm

Projection


Customer Client
Date

Drawn By
Dessiné Par
BoxCad: BoxCad
Date 2022-09-07

Material Matière
14 Ga Stainless Steel 304 (1.7mm)

Color Couleur
Unpainted
Finish Fini
Brushed

Description
1412BTSS 225A - 5Wires x 60" Assembly
Detail Rev.

Part Number
Numéro Pièce
1412BTSS05205
Rev. 0
3
11

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS05205\1412BTSS05205.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 2022-09-07

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fini

Brushed

Description
1412BTSS 26" x 60" x 8" Body

Detail Rev.

Part Number
Numéro Pièce
1412BTSS05205B

Rev.
0

4
11

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS05205\1412BTSS05205.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	56.000	24.000	GND STUD M8 x 35mm (Inside)
2	56.000	22.000	GND STUD M8 x 35mm (Inside)
3	5.875	24.563	IP STUD M8 x 35mm (Inside)
4	42.125	24.563	IP STUD M8 x 35mm (Inside)
5	5.875	1.688	IP STUD M8 x 35mm (Inside)
6	42.125	1.688	IP STUD M8 x 35mm (Inside)
7	25.625	24.563	IP STUD M8 x 35mm (Inside)
8	25.625	1.688	IP STUD M8 x 35mm (Inside)



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox



	Description 1412BTSS 26" x 60" x 8" Body	Status (NULL)	
	Part Number Numéro Pièce 1412BTSS05205B	Rev. 0	5 11

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS05205\1412BTSS05205.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par
			
Isometric View			
		Flatness Aplatissement Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 2022-09-07	
Material Matière		14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur		Finish Fini	
Unpainted		Brushed	
Description			Detail Rev.
1412BTSS 26" x 60" x 8" Body			
Part Number Numéro Pièce			Rev.
1412BTSS05205B			6
			11

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

8	STK-Q-16020	1	Stud M8 x 35mm Stainless Steel
1	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1412BTSS05205B-P	0	1412BTSS 26" x 60" x 8" Body Part
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS05205\1412BTSS05205.idw

Tolérance $\pm 1/32$ " sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK

0.000
0.934

LEFT



FRONT

59.803

25.918


0.000

RIGHT



BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 2022-09-07

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fini

Brushed

Description

1412BTSS 26" x 60" Cover

Detail Rev.

Part Number
Numéro Pièce

1412BTSS05205C

Rev.

0


7

11

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of Eurobox

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.500	1.486	GND STUD M6 x 16mm (Inside)
2	4.250	24.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
3	55.553	24.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
4	29.902	24.494	LOCK 880 SCQ4-SLSS6 @ 90.0°



	Description 1412BTSS 26" x 60" Cover		Status (NULL)	
	Part Number Numéro Pièce 1412BTSS05205C		Rev. 0	8 11




Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS05205\1412BTSS05205.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par
			
Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
Customer Client		Projection 	
Date		Date	
Drawn By Dessiné Par		BoxCad: BoxCad	
Date		2022-09-07	
Material Matière		14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur		Unpainted	
Finish Fin		Brushed	
Description			Detail Rev.
1412BTSS 26" x 60" Cover			
Part Number Numéro Pièce			Rev.
1412BTSS05205C			9
			11

1	1412BTSS05205G	0	1412BTSS 26" x 60" Cover Gasket
4	STK-K-09850	6	5412 ESS Hinge with 2 Captive Hinge Pins
1	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1412BTSS05205C-P	0	1412BTSS 26" x 60" Cover Part
3	880 SCQ4-SLSS6	7	5412 ESS 1/4 Turn Lock
Qty	Part Name	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS05205\1412BTSS05205.idw


Tolérance ±1/32" sauf spécification contraire




TOP




FRONT




RIGHT



No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 2022-09-07	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		White RAL9003	Finish Fini Smooth
Description 1412BTSS 24.625" x 38" Inner Panel			Detail Rev.
Part Number Numéro Pièce		Rev.	10
1412BTSS05205IP1		0	11

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS05205\1412BTSS05205.idw


Tolérance ±1/32" sauf spécification contraire

No.


Revisions

Date

By/Par



Isometric View





Tél: (450) 979-4373

Fax: (450) 979-4626

www.exmweb.com


Flatness

Aplatissement



Max 3.0mm

Projection



Customer

Client

Date

Drawn By

Dessiné Par

BoxCad: BoxCad

Date 2022-09-07

Material

Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color

Couleur

White RAL9003

Finish

Fini

Smooth

Description

1412BTSS 24.625" x 38" Inner Panel

Detail Rev.

Part Number

Numéro Pièce

1412BTSS05205IP1

Rev.

11

0

11

1

STK-P-02401S

0

Powder Paint (White / Smooth)

1

1412BTSS05205IP1-P

0

1412BTSS 24.625" x 60" Inner Panel Part

Qty

Part Number

Rev

Description

Parts List