

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1412BTSS062005\1412BTSS062005.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK



LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection




Customer Client		Date	
Drawn By Dessiné Par		BoxCad: BoxCad Date 27-Sep-22	
Material Matière		14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur		Unpainted	Finish Fini Brushed
Description 1412BTSS 2000A - 5Wires x 72" Assembly			Detail Rev.
Part Number Numéro Pièce		Rev.	1
1412BTSS062005		0	11

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of Eurobex

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex



	Description	Status	
	1412BTSS 2000A - 5Wires x 72" Assembly	(NULL)	
	Part Number Numéro Pièce 1412BTSS062005	Rev. 0	2 11

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1412BTSS062005\1412BTSS062005.idw

Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 4X Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	C/W Special inner panel (Sold separately)
5	C/W Standard inner panel mounting studs


No.	Revisions	Date	By/Par



Isometric View

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

4	STK-Q-04051-07	8	M6 x 7mm Stainless Steel Hexagon Socket Head Machine Screw with Nyseal
1	885 ESMF2	0	885 ESMF2 Stainless Steel Mounting Feet Kit
1	1412BTSS062005BAR4-P	0	Rounded Edge Aluminum Bar 3/4" x 5"
1	1412BTSS062005BAR1-P	0	Rounded Edge Aluminum Bar 3/4" x 5"
1	1412BTSS062005BAR2-P	0	Rounded Edge Aluminum Bar 3/4" x 5"
1	1412BTSS062005BAR3-P	0	Rounded Edge Aluminum Bar 3/4" x 5"
1	1412BTSS062005BAR5-P	0	Rounded Edge Aluminum Bar 3/4" x 5"
1	1412BTSS062005IP1	0	1412BTSS 38.425" x 47" Inner Panel
15	STK-A-67400	0	Buss Bar Insulator Kit
1	STK-K-01800	5	5412 ES Accessory Kit
23	STK-Q-07310	2	Flange Lock Nut M8
8	STK-Q-07610	8	M8 Plastic Spacer 22.2mm
1	1412BTSS062005B	0	1412BTSS 44" x 72" x 12" Body
1	1412BTSS062005C	0	1412BTSS 44" x 72" Cover
Qty	Part Number	Rev	Description
Parts List			

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		BoxCad: BoxCad Date 27-Sep-22	
Material Matière		14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur		Unpainted	Finish Fini Brushed
Description 1412BTSS 2000A - 5Wires x 72" Assembly			Detail Rev.
Part Number Numéro Pièce 1412BTSS062005			Rev. 0
			3 11

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS062005\1412BTSS062005.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	68.000	42.000	GND STUD M8 x 35mm (Inside)
2	68.000	40.000	GND STUD M8 x 35mm (Inside)
3	5.875	40.350	IP STUD M8 x 35mm (Inside)
4	51.125	40.350	IP STUD M8 x 35mm (Inside)
5	5.875	3.675	IP STUD M8 x 35mm (Inside)
6	51.125	3.675	IP STUD M8 x 35mm (Inside)
7	5.875	22.013	IP STUD M8 x 35mm (Inside)
8	51.125	22.013	IP STUD M8 x 35mm (Inside)
9	30.125	40.350	IP STUD M8 x 35mm (Inside)
10	30.125	3.675	IP STUD M8 x 35mm (Inside)



	Description 1412BTSS 44" x 72" x 12" Body	Status (NULL)	
	Part Number Numéro Pièce 1412BTSS062005B	Rev. 0	5 11

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox



This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1412BTSS062005\1412BTSS062005.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 27-Sep-22
Material Matière 14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur Unpainted	Finish Fini Brushed
Description 1412BTSS 44" x 72" x 12" Body	Detail Rev.
Part Number Numéro Pièce 1412BTSS062005B	Rev. 0
	6 11

10	STK-Q-16020	1	Stud M8 x 35mm Stainless Steel
1	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1412BTSS062005B-P	0	1412BTSS 44" x 72" x 12" Body Part
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1412BTSS062005\1412BTSS062005.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK



LEFT



FRONT




RIGHT





BOTTOM

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 27-Sep-22	
Material Matière		14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur		Unpainted	Finish Fini Brushed
Description 1412BTSS 44" x 72" Cover			Detail Rev.
Part Number Numéro Pièce 1412BTSS062005C			Rev. 0
			7 11

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS062005\1412BTSS062005.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.500	1.486	GND STUD M6 x 16mm (Inside)
2	1.424	21.959	LOCK 880 SCQ4-SLSS6 @ 180.0°
3	67.553	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
4	35.902	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
5	4.250	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
6	70.379	21.959	LOCK 880 SCQ4-SLSS6 @ 0.0°



	Description 1412BTSS 44" x 72" Cover	Status (NULL)	
	Part Number Numéro Pièce 1412BTSS062005C	Rev. 0	8 11

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1412BTSS062005\1412BTSS062005.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par




Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm
Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 27-Sep-22

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fin

Brushed

Description

1412BTSS 44" x 72" Cover

Detail Rev.

Part Number
Numéro Pièce

1412BTSS062005C

Rev.

0

9

11

1	1412BTSS062005G	0	1412BTSS 44" x 72" Cover Gasket
4	STK-K-09850	6	5412 ESS Hinge with 2 Captive Hinge Pins
1	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1412BTSS062005C-P	0	1412BTSS 44" x 72" Cover Part
5	880 SCQ4-SLSS6	7	5412 ESS 1/4 Turn Lock
Qty	Part Name	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS062005\1412BTSS062005.idw



Tolérance ±1/32" sauf spécification contraire



TOP




FRONT




RIGHT

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 27-Sep-22	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		White RAL9003	Finish Fini Smooth
Description 1412BTSS 38.425" x 47" Inner Panel			Detail Rev.
Part Number Numéro Pièce		Rev.	10
1412BTSS062005IP1		0	11

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1412BTSS062005\1412BTSS062005.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View






Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 27-Sep-22

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

White RAL9003

Finish
Fini

Smooth

Description

1412BTSS 38.425" x 47" Inner Panel

Detail Rev.

Part Number
Numéro Pièce

1412BTSS062005IP1

Rev.

11

0

11