


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS071605\1412BTSS071605.idw

Tolérance $\pm 1/32$ " sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




LEFT



LEFT



FRONT




RIGHT




BOTTOM

No.	Revisions	Date	By/Par




Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 2022-09-27	
Material Matière		14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur		Unpainted	Finish Fini Brushed
Description 1412BTSS 1600A - 5Wires x 84" Assembly			Detail Rev.
Part Number Numéro Pièce		Rev.	1
SEE BILL OF MATERIAL ON LAST PAGE 1412BTSS071605		0	13

This drawing is confidential and must not be reproduced or used without the consent of Eurobex

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex

	Description		Status	
	1412BTSS 1600A - 5Wires x 84" Assembly		(NULL)	
	Part Number Numéro Pièce 1412BTSS071605		Rev. 0	2 13

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS071605\1412BTSS071605.idw

Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 4X Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	C/W Special inner panel (Sold separately)
5	C/W Standard inner panel mounting studs



No.	Revisions	Date	By/Par



Isometric View

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

6	STK-Q-04051-07	8	M6 x 7mm Stainless Steel Hexagon Socket Head Machine Screw with Nyseal
1	885 ESMF2	0	885 ESMF2 Stainless Steel Mounting Feet Kit
1	1412BTSS071605IP2	0	1412BTSS 33.293" x 28" Right Inner Panel
1	1412BTSS071605BAR1-P	0	Rounded Edge Aluminum Bar 1/2" x 6"
1	1412BTSS071605BAR2-P	0	Rounded Edge Aluminum Bar 1/2" x 6"
1	1412BTSS071605BAR3-P	0	Rounded Edge Aluminum Bar 1/2" x 6"
1	1412BTSS071605BAR4-P	0	Rounded Edge Aluminum Bar 1/2" x 6"
1	1412BTSS071605BAR5-P	0	Rounded Edge Aluminum Bar 1/2" x 6"
1	1412BTSS071605IP1	0	1412BTSS 33.293" x 56" Inner Panel
15	STK-A-67400	0	Buss Bar Insulator Kit
1	STK-K-01800	5	5412 ES Accessory Kit
23	STK-Q-07310	2	Flange Lock Nut M8
8	STK-Q-07610	8	M8 Plastic Spacer 22.2mm
1	1412BTSS071605B	0	1412BTSS 39" x 84" x 12" Body
1	1412BTSS071605C	0	1412BTSS 39" x 84" Cover
Qty	Part Number	Rev	Description
Parts List			

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 2022-09-27	
Material Matière		BoxCad: BoxCad 14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur		Unpainted	Finish Fini Brushed
Description 1412BTSS 1600A - 5Wires x 84" Assembly			Detail Rev.
Part Number Numéro Pièce 1412BTSS071605			Rev. 0
			3 13

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS071605\1412BTSS071605.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 2022-09-27

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fini

Brushed

Description

1412BTSS 39" x 84" x 12" Body

Detail Rev.

Part Number
Numéro Pièce

1412BTSS071605B

Rev.

4

0

13

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS071605\1412BTSS071605.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	80.000	37.000	GND STUD M8 x 35mm (Inside)
2	80.000	35.000	GND STUD M8 x 35mm (Inside)
3	5.875	35.500	IP STUD M8 x 35mm (Inside)
4	34.625	35.500	IP STUD M8 x 35mm (Inside)
5	5.875	3.957	IP STUD M8 x 35mm (Inside)
6	34.625	3.957	IP STUD M8 x 35mm (Inside)
7	56.875	35.500	IP STUD M8 x 35mm (Inside)
8	60.125	35.500	IP STUD M8 x 35mm (Inside)
9	56.875	3.957	IP STUD M8 x 35mm (Inside)
10	60.125	3.957	IP STUD M8 x 35mm (Inside)



	Description	Status	
	1412BTSS 39" x 84" x 12" Body	(NULL)	
	Part Number	Rev.	5
	Numéro Pièce 1412BTSS071605B	0	13

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS071605\1412BTSS071605.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 2022-09-27
Material Matière 14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur Unpainted	Finish Fini Brushed
Description 1412BTSS 39" x 84" x 12" Body	Detail Rev.
Part Number Numéro Pièce 1412BTSS071605B	Rev. 0
	6 13

1	1412BTSS071605B-P	0	1412BTSS 39" x 84" x 12" Body Part
1	1412BTSS071605E-P	0	1412BTSS 39" x 84" x 12" Right Body Part
1	STK-G-00701	0	1" x 1/4" Self-Adhesive Neoprene Gasket
10	STK-Q-00260	1	M6 x 13mm Carriage Bolt
10	STK-Q-07220	1	M6 Nylon Insert Lock Nut
10	STK-Q-16020	1	Stud M8 x 35mm Stainless Steel
2	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS071605\1412BTSS071605.idw

Tolérance $\pm 1/32$ " sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK



LEFT



FRONT




RIGHT






BOTTOM

No.	Revisions	Date	By/Par



Isometric View



		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
				Projection 	
Customer Client				Date	
Drawn By Dessiné Par BoxCad: BoxCad				Date 2022-09-27	
Material Matière 14 Ga Stainless Steel 304 (1.7mm)					
Color Couleur Unpainted		Finish Fini Brushed			
Description 1412BTSS 39" x 84" Cover				Detail Rev.	
Part Number Numéro Pièce 1412BTSS071605C				Rev. 0	7 13

1412BTSS071605C


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS071605\1412BTSS071605.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.500	1.486	GND STUD M6 x 16mm (Inside)
2	82.303	1.486	GND STUD M6 x 16mm (Inside)
3	82.379	19.459	LOCK 880 SCQ4-SLSS6 @ 0.0°
4	43.424	19.459	LOCK 880 SCQ4-SLSS6 @ 180.0°
5	40.379	19.459	LOCK 880 SCQ4-SLSS6 @ 0.0°
6	1.424	19.459	LOCK 880 SCQ4-SLSS6 @ 180.0°
7	79.553	37.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
8	62.902	37.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
9	46.250	37.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
10	37.553	37.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
11	20.902	37.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
12	4.250	37.494	LOCK 880 SCQ4-SLSS6 @ 90.0°



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

	Description 1412BTSS 39" x 84" Cover	Status (NULL)	
	Part Number Numéro Pièce 1412BTSS071605C	Rev. 0	8 13


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS071605\1412BTSS071605.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par





Isometric View






Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com


Flatness
Aplatissement

Max 3.0mm
Projection


Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 2022-09-27	
Material Matière 14 Ga Stainless Steel 304 (1.7mm)			
Color Couleur Unpainted		Finish Fini Brushed	
Description 1412BTSS 39" x 84" Cover			Detail Rev.
Part Number Numéro Pièce 1412BTSS071605C			Rev. 0
			9 13


2	1412BTSS071605G	0	1412BTSS 39" x 84" Cover Gasket
6	STK-K-09850	6	5412 ESS Hinge with 2 Captive Hinge Pins
2	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1412BTSS071605C-P	0	1412BTSS 39" x 84" Cover Part
1	1412BTSS071605F-P	0	1412BTSS 39" x 84" Right Cover Part
10	880 SCQ4-SLSS6	7	5412 ESS 1/4 Turn Lock
Qty	Part Name	Rev	Description
Parts List			





TOP




FRONT



RIGHT



Isometric View



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm

Projection

Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 2022-09-27
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)	

Color Couleur White RAL9003	Finish Fini Smooth
--------------------------------	-----------------------

Description 1412BTSS 33.293" x 56" Inner Panel	Detail Rev.
---	-------------

Part Number Numéro Pièce 1412BTSS071605IP1	Rev. 0	10 13
---	------------------	----------

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS071605\1412BTSS071605.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View






Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 2022-09-27

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

White RAL9003

Finish
Fini

Smooth

Description

1412BTSS 33.293" x 56" Inner Panel

Detail Rev.

Part Number
Numéro Pièce

1412BTSS071605IP1

Rev.

11




13

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32"$ unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS071605\1412BTSS071605.idw

Tolérance $\pm 1/32"$ sauf spécification contraire



No.	Revisions	Date	By/Par

Isometric View

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 2022-09-27	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		White RAL9003	Finish Fini Smooth
Description 1412BTSS 33.293" x 28" Right Inner Panel			Detail Rev.
Part Number Numéro Pièce		Rev.	12
1412BTSS071605IP2		0	13

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS071605\1412BTSS071605.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par




Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm

Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 2022-09-27

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

White RAL9003

Finish
Fini

Smooth

Description

1412BTSS 33.293" x 28" Right Inner Panel

Detail Rev.

Part Number
Numéro Pièce

1412BTSS071605IP2

Rev. 0

13

1	STK-P-02401S	0	Powder Paint (White / Smooth)
1	1412BTSS071605IP2-P	0	1412BTSS 33.293" x 84" Right Inner Panel Part
Qty	Part Number	Rev	Description
Parts List			