

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS112005\1412BTSS112005.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



LEFT



LEFT



FRONT




RIGHT





BOTTOM

No.	Revisions	Date	By/Par



Isometric View




 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 9/27/2022	
Material Matière		14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur		Unpainted	Finish Fini Brushed
Description 1412BTSS 2000A - 5Wires x 132" Assembly			Detail Rev.
Part Number Numéro Pièce		Rev.	1
1412BTSS112005		0	13

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of Eurobox


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE



	Description 1412BTSS 2000A - 5Wires x 132" Assembly		Status (NULL)	
	Part Number Numéro Pièce 1412BTSS112005		Rev. 0	2
			13	

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified		C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS112005\1412BTSS112005.idw		Tolérance ±1/32" sauf spécification contraire																																																																																		
NOTE <table><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 4X Enclosure</td></tr><tr><td>2</td><td>C/W Standard ground studs on box and cover</td></tr><tr><td>3</td><td>W/O Standard door stiffener</td></tr><tr><td>4</td><td>C/W Special inner panel (Sold separately)</td></tr><tr><td>5</td><td>C/W Standard inner panel mounting studs</td></tr></table>				ITEM	DESCRIPTION	1	NEMA 4X Enclosure	2	C/W Standard ground studs on box and cover	3	W/O Standard door stiffener	4	C/W Special inner panel (Sold separately)	5	C/W Standard inner panel mounting studs	<table><tr><th>No.</th><th>Revisions</th><th>Date</th><th>By/Par</th></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></table>		No.	Revisions	Date	By/Par																																																																	
ITEM	DESCRIPTION																																																																																					
1	NEMA 4X Enclosure																																																																																					
2	C/W Standard ground studs on box and cover																																																																																					
3	W/O Standard door stiffener																																																																																					
4	C/W Special inner panel (Sold separately)																																																																																					
5	C/W Standard inner panel mounting studs																																																																																					
No.	Revisions	Date	By/Par																																																																																			
				 Isometric View																																																																																		
																																																																																						
				<table><tr><td colspan="2">885 ESMF2</td><td>0</td><td>885 ESMF2 Stainless Steel Mounting Feet Kit</td></tr><tr><td colspan="2">1412BTSS112005IP2</td><td>0</td><td>1412BTSS 38.425" x 48.5" Right Inner Panel</td></tr><tr><td colspan="2">1412BTSS112005BAR1-P</td><td>0</td><td>Rounded Edge Aluminum Bar 3/4" x 5"</td></tr><tr><td colspan="2">1412BTSS112005BAR2-P</td><td>0</td><td>Rounded Edge Aluminum Bar 3/4" x 5"</td></tr><tr><td colspan="2">1412BTSS112005BAR3-P</td><td>0</td><td>Rounded Edge Aluminum Bar 3/4" x 5"</td></tr><tr><td colspan="2">1412BTSS112005BAR4-P</td><td>0</td><td>Rounded Edge Aluminum Bar 3/4" x 5"</td></tr><tr><td colspan="2">1412BTSS112005BAR5-P</td><td>0</td><td>Rounded Edge Aluminum Bar 3/4" x 5"</td></tr><tr><td colspan="2">1412BTSS112005IP1</td><td>0</td><td>1412BTSS 38.425" x 26.75" Left Inner Panel</td></tr><tr><td colspan="2">STK-A-67400</td><td>0</td><td>Buss Bar Insulator Kit</td></tr><tr><td colspan="2">STK-K-01800</td><td>5</td><td>5412 ES Accessory Kit</td></tr><tr><td colspan="2">STK-Q-07310</td><td>2</td><td>Flange Lock Nut M8</td></tr><tr><td colspan="2">STK-Q-07610</td><td>8</td><td>M8 Plastic Spacer 22.2mm</td></tr><tr><td colspan="2">1412BTSS112005B</td><td>0</td><td>1412BTSS 44" x 132" x 12" Body</td></tr><tr><td colspan="2">1412BTSS112005C</td><td>0</td><td>1412BTSS 44" x 132" Cover</td></tr><tr><td>Qty</td><td>Part Number</td><td>Rev</td><td>Description</td></tr><tr><td colspan="4">Parts List</td></tr></table>		885 ESMF2		0	885 ESMF2 Stainless Steel Mounting Feet Kit	1412BTSS112005IP2		0	1412BTSS 38.425" x 48.5" Right Inner Panel	1412BTSS112005BAR1-P		0	Rounded Edge Aluminum Bar 3/4" x 5"	1412BTSS112005BAR2-P		0	Rounded Edge Aluminum Bar 3/4" x 5"	1412BTSS112005BAR3-P		0	Rounded Edge Aluminum Bar 3/4" x 5"	1412BTSS112005BAR4-P		0	Rounded Edge Aluminum Bar 3/4" x 5"	1412BTSS112005BAR5-P		0	Rounded Edge Aluminum Bar 3/4" x 5"	1412BTSS112005IP1		0	1412BTSS 38.425" x 26.75" Left Inner Panel	STK-A-67400		0	Buss Bar Insulator Kit	STK-K-01800		5	5412 ES Accessory Kit	STK-Q-07310		2	Flange Lock Nut M8	STK-Q-07610		8	M8 Plastic Spacer 22.2mm	1412BTSS112005B		0	1412BTSS 44" x 132" x 12" Body	1412BTSS112005C		0	1412BTSS 44" x 132" Cover	Qty	Part Number	Rev	Description	Parts List																				
885 ESMF2		0	885 ESMF2 Stainless Steel Mounting Feet Kit																																																																																			
1412BTSS112005IP2		0	1412BTSS 38.425" x 48.5" Right Inner Panel																																																																																			
1412BTSS112005BAR1-P		0	Rounded Edge Aluminum Bar 3/4" x 5"																																																																																			
1412BTSS112005BAR2-P		0	Rounded Edge Aluminum Bar 3/4" x 5"																																																																																			
1412BTSS112005BAR3-P		0	Rounded Edge Aluminum Bar 3/4" x 5"																																																																																			
1412BTSS112005BAR4-P		0	Rounded Edge Aluminum Bar 3/4" x 5"																																																																																			
1412BTSS112005BAR5-P		0	Rounded Edge Aluminum Bar 3/4" x 5"																																																																																			
1412BTSS112005IP1		0	1412BTSS 38.425" x 26.75" Left Inner Panel																																																																																			
STK-A-67400		0	Buss Bar Insulator Kit																																																																																			
STK-K-01800		5	5412 ES Accessory Kit																																																																																			
STK-Q-07310		2	Flange Lock Nut M8																																																																																			
STK-Q-07610		8	M8 Plastic Spacer 22.2mm																																																																																			
1412BTSS112005B		0	1412BTSS 44" x 132" x 12" Body																																																																																			
1412BTSS112005C		0	1412BTSS 44" x 132" Cover																																																																																			
Qty	Part Number	Rev	Description																																																																																			
Parts List																																																																																						
PACKING <table><tr><th>ITEM</th><th>QTY</th><th>DESCRIPTION</th></tr><tr><td>Cardboard sleeve</td><td>2</td><td>Top and Bottom</td></tr><tr><td>Cardboard strip</td><td>2</td><td>Between back of enclosure and inner panel</td></tr><tr><td>Plastic bag</td><td>1</td><td>To protect cover surface and inside gasket</td></tr><tr><td>Cardboard corner</td><td>4</td><td>To reinforced for the plastic strap tightening</td></tr><tr><td>Plastic strap - Black</td><td>2</td><td>To Squeeze 2 cardboard sleeve together</td></tr><tr><td>Packaging label</td><td>3</td><td>White label with PN</td></tr><tr><td>Plastic strap- Green</td><td>2</td><td>To secure the enclosure to the wood pallet</td></tr><tr><td>Wood Pallet</td><td>1</td><td>2" deeper and 3" larger than enclosure size</td></tr></table>				ITEM	QTY	DESCRIPTION	Cardboard sleeve	2	Top and Bottom	Cardboard strip	2	Between back of enclosure and inner panel	Plastic bag	1	To protect cover surface and inside gasket	Cardboard corner	4	To reinforced for the plastic strap tightening	Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together	Packaging label	3	White label with PN	Plastic strap- Green	2	To secure the enclosure to the wood pallet	Wood Pallet	1	2" deeper and 3" larger than enclosure size	<table><tr><td colspan="2"></td><td colspan="2">Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com</td><td colspan="2">Flatness Aplatissement Max 3.0mm</td></tr><tr><td colspan="2">Customer Client</td><td colspan="2">Date</td><td colspan="2">Projection</td></tr><tr><td colspan="2">Drawn By Dessiné Par</td><td colspan="2">BoxCad: BoxCad</td><td colspan="2">Date 9/27/2022</td></tr><tr><td colspan="2">Material Matière</td><td colspan="4">14 Ga Stainless Steel 304 (1.7mm)</td></tr><tr><td colspan="2">Color Couleur</td><td colspan="2">Unpainted</td><td colspan="2">Finish Fini Brushed</td></tr><tr><td colspan="4">Description 1412BTSS 2000A - 5Wires x 132" Assembly</td><td colspan="2">Detail Rev.</td></tr><tr><td colspan="4">Part Number Numéro Pièce 1412BTSS112005</td><td colspan="2">Rev. 0</td></tr><tr><td colspan="4"></td><td colspan="2">3</td></tr><tr><td colspan="4"></td><td colspan="2">13</td></tr></table>				Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm		Customer Client		Date		Projection		Drawn By Dessiné Par		BoxCad: BoxCad		Date 9/27/2022		Material Matière		14 Ga Stainless Steel 304 (1.7mm)				Color Couleur		Unpainted		Finish Fini Brushed		Description 1412BTSS 2000A - 5Wires x 132" Assembly				Detail Rev.		Part Number Numéro Pièce 1412BTSS112005				Rev. 0						3						13	
ITEM	QTY	DESCRIPTION																																																																																				
Cardboard sleeve	2	Top and Bottom																																																																																				
Cardboard strip	2	Between back of enclosure and inner panel																																																																																				
Plastic bag	1	To protect cover surface and inside gasket																																																																																				
Cardboard corner	4	To reinforced for the plastic strap tightening																																																																																				
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together																																																																																				
Packaging label	3	White label with PN																																																																																				
Plastic strap- Green	2	To secure the enclosure to the wood pallet																																																																																				
Wood Pallet	1	2" deeper and 3" larger than enclosure size																																																																																				
		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm																																																																																		
Customer Client		Date		Projection																																																																																		
Drawn By Dessiné Par		BoxCad: BoxCad		Date 9/27/2022																																																																																		
Material Matière		14 Ga Stainless Steel 304 (1.7mm)																																																																																				
Color Couleur		Unpainted		Finish Fini Brushed																																																																																		
Description 1412BTSS 2000A - 5Wires x 132" Assembly				Detail Rev.																																																																																		
Part Number Numéro Pièce 1412BTSS112005				Rev. 0																																																																																		
				3																																																																																		
				13																																																																																		

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS112005\1412BTSS112005.idw

Tolérance $\pm 1/32$ " sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP



BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 9/27/2022	
Material Matière		14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur		Unpainted	Finish Fini Brushed
Description 1412BTSS 44" x 132" x 12" Body			Detail Rev.
Part Number Numéro Pièce		Rev.	4
SEE BILL OF MATERIAL ON LAST PAGE		0	13
1412BTSS112005B			


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS112005\1412BTSS112005.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	128.000	42.000	GND STUD M8 x 35mm (Inside)
2	128.000	40.000	GND STUD M8 x 35mm (Inside)
3	5.875	40.350	IP STUD M8 x 35mm (Inside)
4	52.625	40.350	IP STUD M8 x 35mm (Inside)
5	5.875	3.675	IP STUD M8 x 35mm (Inside)
6	52.625	3.675	IP STUD M8 x 35mm (Inside)
7	5.875	22.013	IP STUD M8 x 35mm (Inside)
8	52.625	22.013	IP STUD M8 x 35mm (Inside)
9	71.125	40.350	IP STUD M8 x 35mm (Inside)
10	96.125	40.350	IP STUD M8 x 35mm (Inside)
11	71.125	3.675	IP STUD M8 x 35mm (Inside)
12	96.125	3.675	IP STUD M8 x 35mm (Inside)
13	71.125	22.013	IP STUD M8 x 35mm (Inside)
14	96.125	22.013	IP STUD M8 x 35mm (Inside)
15	30.875	40.350	IP STUD M8 x 35mm (Inside)
16	30.875	3.675	IP STUD M8 x 35mm (Inside)



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

	Description	Status	
	1412BTSS 44" x 132" x 12" Body	(NULL)	
	Part Number	Rev.	5
	Numéro Pièce 1412BTSS112005B	0	13


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS112005\1412BTSS112005.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par





Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/27/2022

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fin

Brushed

Description

1412BTSS 44" x 132" x 12" Body

Detail Rev.

Part Number
Numéro Pièce

1412BTSS112005B

Rev.

0

6

13

1	1412BTSS112005B-P	0	1412BTSS 44" x 132" x 12" Left Body Part
1	1412BTSS112005E-P	0	1412BTSS 44" x 132" x 12" Right Body Part
1	STK-G-00701	0	1" x 1/4" Self-Adhesive Neoprene Gasket
10	STK-Q-00260	1	M6 x 13mm Carriage Bolt
10	STK-Q-07220	1	M6 Nylon Insert Lock Nut
16	STK-Q-16020	1	Stud M8 x 35mm Stainless Steel
2	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS112005\1412BTSS112005.idw

Tolérance $\pm 1/32$ " sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK



LEFT



FRONT




RIGHT





BOTTOM

No.	Revisions	Date	By/Par



Isometric View



	Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com	Flatness Aplatissement	
		 Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 9/27/2022	
Material Matière		14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur Unpainted		Finish Fini Brushed	
Description 1412BTSS 44" x 132" Cover		Detail Rev.	
Part Number Numéro Pièce 1412BTSS112005C		Rev. 0	7 13

1412BTSS112005C


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS112005\1412BTSS112005.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.500	1.486	GND STUD M6 x 16mm (Inside)
2	130.303	1.486	GND STUD M6 x 16mm (Inside)
3	130.379	21.959	LOCK 880 SCQ4-SLSS6 @ 0.0°
4	67.424	21.959	LOCK 880 SCQ4-SLSS6 @ 180.0°
5	64.379	21.959	LOCK 880 SCQ4-SLSS6 @ 0.0°
6	1.424	21.959	LOCK 880 SCQ4-SLSS6 @ 180.0°
7	127.553	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
8	98.902	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
9	70.250	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
10	61.553	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
11	32.902	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
12	4.250	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°



	Description	Status	
	1412BTSS 44" x 132" Cover	(NULL)	
	Part Number Numéro Pièce 1412BTSS112005C	Rev. 0	8 13

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS112005\1412BTSS112005.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par





Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm
Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/27/2022

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fin

Brushed

Description

1412BTSS 44" x 132" Cover

Detail Rev.

Part Number
Numéro Pièce


1412BTSS112005C

Rev. 0

9
13

2	1412BTSS112005G	0	1412BTSS 44" x 132" Cover Gasket
8	STK-K-09850	6	5412 ESS Hinge with 2 Captive Hinge Pins
2	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1412BTSS112005C-P	0	1412BTSS 44" x 66" Left Cover Part
1	1412BTSS112005F-P	0	1412BTSS 44" x 132" Right Cover Part
10	880 SCQ4-SLSS6	7	5412 ESS 1/4 Turn Lock
Qty	Part Name	Rev	Description
Parts List			


TOP



FRONT

38.425

38.007




0.418

0.000

RIGHT



SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 9/27/2022	
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)			
Color Couleur White RAL9003		Finish Fini Smooth	
Description 1412BTSS 38.425" x 26.75" Left Inner Panel			Detail Rev.
Part Number Numéro Pièce 1412BTSS112005IP1			Rev. 10 0 13


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS112005\1412BTSS112005.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection

Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

White RAL9003

Finish
Fini

Smooth

Description

1412BTSS 38.425" x 26.75" Left Inner Panel

Detail Rev.

Part Number
Numéro Pièce

1412BTSS112005IP1

Rev.

11

0

13

1	STK-P-02401S	0	Powder Paint (White / Smooth)
1	1412BTSS112005IP1-P	0	1412BTSS 38.425" x 132" Left Inner Panel Part
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS112005\1412BTSS112005.idw


Tolérance ±1/32" sauf spécification contraire





TOP



FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

9/27/2022

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

White RAL9003

Finish
Fini

Smooth

Description

1412BTSS 38.425" x 48.5" Right Inner
Panel

Detail Rev.

Part Number
Numéro Pièce

1412BTSS112005IP2

Rev.

12

0

13

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS112005\1412BTSS112005.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection

Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/27/2022

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

White RAL9003

Finish
Fini

Smooth

Description

1412BTSS 38.425" x 48.5" Right Inner Panel

Detail Rev.

Part Number
Numéro Pièce

1412BTSS112005IP2

Rev. 0

13

1	STK-P-02401S	0	Powder Paint (White / Smooth)
1	1412BTSS112005IP2-P	0	1412BTSS 38.425" x 132" Right Inner Panel Part
Qty	Part Number	Rev	Description
Parts List			