

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082003\1412BTSSCU082003.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




LEFT



LEFT



FRONT




RIGHT





BOTTOM

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 9/21/2022	
Material Matière		14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur		Unpainted	Finish Fini Brushed
Description 1412BTSSCU 2000A - 3Wires x 96" Assembly			Detail Rev.
Part Number Numéro Pièce 1412BTSSCU082003			Rev. 0
			1 13

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of Eurobex


Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082003\1412BTSSCU082003.idw

Tolérance $\pm 1/32$ " sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex



	Description 1412BTSSCU 2000A - 3Wires x 96" Assembly		Status (NULL)	
	Part Number Numéro Pièce 1412BTSSCU082003		Rev. 0	2
			13	

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082003\1412BTSSCU082003.idw


Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 4X Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	C/W Special inner panel (Sold separately)
5	C/W Standard inner panel mounting studs

No.	Revisions	Date	By/Par



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

8	STK-Q-04051-07	8	M6 x 7mm Stainless Steel Hexagon Socket Head Machine Screw with Nyseal
1	885 ESMF2	0	885 ESMF2 Stainless Steel Mounting Feet Kit
1	1412BTSSCU082003IP2	0	1412BTSSCU 22.125" x 28" Right Inner Panel
1	1412BTSSCU082003BAR 1-P	0	Rounded Edge Copper Bar 1/2" x 5"
1	1412BTSSCU082003BAR 2-P	0	Rounded Edge Copper Bar 1/2" x 5"
1	1412BTSSCU082003BAR 3-P	0	Rounded Edge Copper Bar 1/2" x 5"
1	1412BTSSCU082003IP1	0	1412BTSSCU 22.125" x 65" Inner Panel
12	STK-A-67400	0	Buss Bar Insulator Kit
1	STK-K-01800	5	5412 ES Accessory Kit
20	STK-Q-07310	2	Flange Lock Nut M8
8	STK-Q-07610	8	M8 Plastic Spacer 22.2mm
1	1412BTSSCU082003B	0	1412BTSSCU 30" x 96" x 10" Body
1	1412BTSSCU082003C	0	1412BTSSCU 30" x 96" Cover
Qty	Part Number	Rev	Description
Parts List			



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm

Projection


Customer Client
Date

Drawn By
Dessiné Par
BoxCad: BoxCad
Date 9/21/2022

Material
Matière
14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur
Unpainted
Finish
Fini
Brushed

Description
1412BTSSCU 2000A - 3Wires x 96" Assembly
Detail Rev.

Part Number
Numéro Pièce
1412BTSSCU082003
Rev. 0
3
13

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082003\1412BTSSCU082003.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/21/2022

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fini

Brushed

Description

1412BTSSCU 30" x 96" x 10" Body

Detail Rev.

Part Number
Numéro Pièce

1412BTSSCU082003B

Rev.

4

0

13

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082003\1412BTSSCU082003.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	92.000	28.000	GND STUD M8 x 35mm (Inside)
2	92.000	26.000	GND STUD M8 x 35mm (Inside)
3	9.375	25.500	IP STUD M8 x 35mm (Inside)
4	32.625	25.500	IP STUD M8 x 35mm (Inside)
5	9.375	5.125	IP STUD M8 x 35mm (Inside)
6	32.625	5.125	IP STUD M8 x 35mm (Inside)
7	49.375	25.500	IP STUD M8 x 35mm (Inside)
8	72.625	25.500	IP STUD M8 x 35mm (Inside)
9	49.375	5.125	IP STUD M8 x 35mm (Inside)
10	72.625	5.125	IP STUD M8 x 35mm (Inside)



	Description 1412BTSSCU 30" x 96" x 10" Body	Status (NULL)	
	Part Number Numéro Pièce 1412BTSSCU082003B	Rev. 0	5 13

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082003\1412BTSSCU082003.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par




Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm

Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/21/2022

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fin

Brushed

Description

1412BTSSCU 30" x 96" x 10" Body

Detail Rev.

Part Number
Numéro Pièce

1412BTSSCU082003B

Rev. 0

6
13

1	1412BTSSCU082003B-P	0	1412BTSSCU 30" x 96" x 10" Body Part
1	1412BTSSCU082003E-P	0	1412BTSSCU 30" x 96" x 10" Right Body Part
1	STK-G-00701	0	1" x 1/4" Self-Adhesive Neoprene Gasket
10	STK-Q-00260	1	M6 x 13mm Carriage Bolt
10	STK-Q-07220	1	M6 Nylon Insert Lock Nut
10	STK-Q-16020	1	Stud M8 x 35mm Stainless Steel
2	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082003\1412BTSSCU082003.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK



LEFT




FRONT




RIGHT



BOTTOM



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/21/2022

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fin

Brushed

Description

1412BTSSCU 30" x 96" Cover

Detail Rev.

Part Number
Numéro Pièce

1412BTSSCU082003C

Rev.

0

7

13

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082003\1412BTSSCU082003.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.500	1.486	GND STUD M6 x 16mm (Inside)
2	94.303	1.486	GND STUD M6 x 16mm (Inside)
3	94.379	14.959	LOCK 880 SCQ4-SLSS6 @ 0.0°
4	49.424	14.959	LOCK 880 SCQ4-SLSS6 @ 180.0°
5	46.379	14.959	LOCK 880 SCQ4-SLSS6 @ 0.0°
6	1.424	14.959	LOCK 880 SCQ4-SLSS6 @ 180.0°
7	91.553	28.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
8	71.902	28.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
9	52.250	28.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
10	43.553	28.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
11	23.902	28.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
12	4.250	28.494	LOCK 880 SCQ4-SLSS6 @ 90.0°



	Description		Status	
	1412BTSSCU 30" x 96" Cover		(NULL)	
	Part Number Numéro Pièce 1412BTSSCU082003C		Rev. 0	8 13

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082003\1412BTSSCU082003.idw


Tolérance ±1/32" sauf spécification contraire

No.


Revisions

Date

By/Par




Isometric View






Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/21/2022

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fin

Brushed

Description

1412BTSSCU 30" x 96" Cover

Detail Rev.

Part Number
Numéro Pièce

1412BTSSCU082003C

Rev.

9

13


2	1412BTSSCU082003G	0	1412BTSSCU 30" x 96" Cover Gasket
8	STK-K-09850	6	5412 ESS Hinge with 2 Captive Hinge Pins
2	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1412BTSSCU082003C-P	0	1412BTSSCU 30" x 96" Cover Part
1	1412BTSSCU082003F-P	0	1412BTSSCU 30" x 96" Right Cover Part
10	880 SCQ4-SLSS6	7	5412 ESS 1/4 Turn Lock
Qty	Part Name	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM




Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082003\1412BTSSCU082003.idw

Tolérance ±1/32" sauf spécification contraire



SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par
			
Isometric View			
		Flatness Aplatissement Max 3.0mm	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 9/21/2022	
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)			
Color Couleur White RAL9003		Finish Fini Smooth	
Description 1412BTSSCU 22.125" x 65" Inner Panel		Detail Rev.	
Part Number Numéro Pièce 1412BTSSCU082003IP1		Rev. 0	10 13

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082003\1412BTSSCU082003.idw


Tolérance ±1/32" sauf spécification contraire

No.


Revisions

Date


By/Par




Isometric View



Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

9/21/2022

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

White RAL9003

Finish
Fini

Smooth

Description

1412BTSSCU 22.125" x 65" Inner Panel

Detail Rev.

Part Number
Numéro Pièce

1412BTSSCU082003IP1

Rev.

11

0

13




1	STK-P-02401S	0	Powder Paint (White / Smooth)
1	1412BTSSCU082003IP1-P	0	1412BTSSCU 22.125" x 96" Inner Panel Part
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM





Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082003\1412BTSSCU082003.idw

Tolérance $\pm 1/32$ " sauf spécification contraire



SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par
 Isometric View			
			 Flatness Aplatissement Max 3.0mm  Projection
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Customer Client Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 9/21/2022	
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)		Color Couleur White RAL9003	
Description 1412BTSSCU 22.125" x 28" Right Inner Panel		Finish Fin Smooth	Detail Rev.
Part Number Numéro Pièce 1412BTSSCU082003IP2		Rev. 0	12 13

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082003\1412BTSSCU082003.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection

Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/21/2022

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

White RAL9003

Finish
Fini

Smooth

Description

1412BTSSCU 22.125" x 28" Right Inner Panel

Detail Rev.

Part Number
Numéro Pièce

1412BTSSCU082003IP2

Rev. 0

13

Qty	Part Number	Rev	Description
1	STK-P-02401S	0	Powder Paint (White / Smooth)
1	1412BTSSCU082003IP2-P	0	1412BTSSCU 22.125" x 96" Right Inner Panel Part
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM