



This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT




RIGHT




BOTTOM

No.	Revisions	Date	By/Par



Isometric View



Tél: (450) 979-4373  
 Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement  
Max 3.0mm  
Projection

Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 11-Jul-25
Material Matière 16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur Asa-61 Grey	Finish Fini Smooth
Description 1412EL 16.5" x 12.75" x 6" Assembly	Detail Rev.
Part Number Numéro Pièce <b>1412EL161206</b>	Rev. 1 <b>0</b>


SEE BILL OF MATERIAL ON LAST PAGE



This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

NOTE	
ITEM	DESCRIPTION
1	NEMA 4, 12 Enclosure (IP66)
2	C/W Standard ground standoffs on box and cover
3	W/O Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting standoffs
6	C/W 885 ESCHMF1 Mounting Feet (Installed)

No.	Revisions	Date	By/Par




 Tél: (450) 979-4373 Fax: (450) 979-4626 <a href="http://www.exmweb.com">www.exmweb.com</a>	Flatness Aplatissement Max 3.0mm
	Projection 
Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 11-Jul-25
Material Matière 16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur Asa-61 Grey	Finish Fini Smooth
Description 1412EL 16.5" x 12.75" x 6" Assembly	
Part Number Numéro Pièce <b>1412EL161206</b>	Rev. 2 <b>0</b> / 9

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together
Packaging label	1	White label with product number


Qty	Part Number	Rev	Description
1	1412EL161206C	0	1412EL 16.5" x 12.75" Cover
1	880 SP1612G	0	880 SP1612G - Inner Panel
1	STK-K-02910	3	5412 ESCH Accessory Kit
1	1412EL161206B	0	1412EL 16.5" x 12.75" x 6" Body
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT



FRONT





RIGHT



Isometric View



No.	Revisions	Date	By/Par


 Tél: (450) 979-4373 Fax: (450) 979-4626 <a href="http://www.exmweb.com">www.exmweb.com</a>		Flatness Aplatissement Max 3.0mm Projection 
Customer Client	Date	
Drawn By Dessiné Par	BoxCad: BoxCad	Date 11-Jul-25
Material Matière	16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth
Description	Detail Rev.	
1412EL 16.5" x 12.75" x 6" Body		
Part Number Numéro Pièce	Rev.	3
<b>1412EL161206B</b>	<b>0</b>	9

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

<b>STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE</b>			
<b>HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)</b>			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	4.625	0.875	STANDOFF M6 x 10mm (Inside)



	Description	Status	
	1412EL 16.5" x 12.75" x 6" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	
	<b>1412EL161206B</b>	<b>0</b>	4 9


This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

**STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE**

**HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)**

CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.250	1.125	IP STANDOFF M6 x 10mm (Inside)
2	1.250	15.375	IP STANDOFF M6 x 10mm (Inside)
3	11.500	15.375	IP STANDOFF M6 x 10mm (Inside)
4	11.500	1.125	IP STANDOFF M6 x 10mm (Inside)
-----			
5	12.187	16.500	FOOT 885 ESCHMF1
6	0.563	16.500	FOOT 885 ESCHMF1
7	12.187	0.000	FOOT 885 ESCHMF1
8	0.563	0.000	FOOT 885 ESCHMF1
9	12.187	16.156	RIVET NUT M6_FH_CE (Inside)
10	0.563	16.156	RIVET NUT M6_FH_CE (Inside)
11	12.187	0.344	RIVET NUT M6_FH_CE (Inside)
12	0.563	0.344	RIVET NUT M6_FH_CE (Inside)




	Description	Status
	1412EL 16.5" x 12.75" x 6" Body	(NULL)
	Part Number	Rev.
	1412EL161206B	5
		0
		9

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 <a href="http://www.exmweb.com">www.exmweb.com</a>	Flatness Aplatissement
	Max 3.0mm
	Projection
	

Customer Client	Date
Drawn By / Dessiné Par: BoxCad: BoxCad	Date: 11-Jul-25
Material / Matière: 16 Ga Cold Rolled A1008 CS Type B (1.4mm)	

Color / Couleur: Asa-61 Grey	Finish / Fini: Smooth
------------------------------	-----------------------


Description: 1412EL 16.5" x 12.75" x 6" Body	Detail Rev.
--	-------------

Part Number / Numéro Pièce: <b>1412EL161206B</b>	Rev. 0	6/9
--	--------	-----


Qty	Part Number	Rev	Description
4	RIVET_NUT_M6_FH_CE	0	Rivet Nut M6 (Low Profile Close End)
4	STK-Q-03071	0	M6 x 16mm Machine Screw
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1412EL161206B-P	0	1412EL 16.5" x 12.75" x 6" Body Part
4	885 ESCHMF1	2	5412 ESCH Stamped Mounting Foot
5	STK-Q-08350	5	Standoff M6 x 10mm
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT




FRONT





RIGHT



Isometric View



No.	Revisions	Date	By/Par


 Tél: (450) 979-4373 Fax: (450) 979-4626 <a href="http://www.exmweb.com">www.exmweb.com</a>		Flatness Aplatissement Max 3.0mm Projection 
Customer Client	Date	
Drawn By Dessiné Par	BoxCad: BoxCad	Date 11-Jul-25
Material Matière	16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth
Description	Detail Rev.	
1412EL 16.5" x 12.75" Cover		
Part Number Numéro Pièce	Rev.	7
1412EL161206C	0	9

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	9.790	12.750	30.5 mm Standard Pushbutton
2	7.540	3.750	30.5 mm Standard Pushbutton
3	7.540	6.000	30.5 mm Standard Pushbutton
4	7.540	8.250	30.5 mm Standard Pushbutton
5	7.540	10.500	30.5 mm Standard Pushbutton
6	7.540	12.750	30.5 mm Standard Pushbutton
7	5.290	3.750	30.5 mm Standard Pushbutton
8	5.290	6.000	30.5 mm Standard Pushbutton
9	5.290	8.250	30.5 mm Standard Pushbutton
10	5.290	10.500	30.5 mm Standard Pushbutton
11	5.290	12.750	30.5 mm Standard Pushbutton
12	3.040	3.750	30.5 mm Standard Pushbutton
13	3.040	6.000	30.5 mm Standard Pushbutton
14	3.040	8.250	30.5 mm Standard Pushbutton
15	3.040	10.500	30.5 mm Standard Pushbutton
16	3.040	12.750	30.5 mm Standard Pushbutton
17	9.790	3.750	30.5 mm Standard Pushbutton
18	9.790	6.000	30.5 mm Standard Pushbutton
19	9.790	8.250	30.5 mm Standard Pushbutton
20	9.790	10.500	30.5 mm Standard Pushbutton
21	1.145	1.125	STANDOFF M6 x 10mm (Inside)
22	12.830	13.500	LOCK 880 SCQ2MS @ 0.0°
23	12.830	3.000	LOCK 880 SCQ2MS @ 0.0°




	Description	Status
	1412EL 16.5" x 12.75" Cover	(NULL)
	Part Number	Rev.
	Numéro Pièce	8
	<b>1412EL161206C</b>	<b>0</b>
		9


This drawing is confidential and must not be reproduced or used without the consent of EXM



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Isometric View




 Tél: (450) 979-4373 Fax: (450) 979-4626 <a href="http://www.exmweb.com">www.exmweb.com</a>	Flatness Aplatissement	Max 3.0mm
	Projection	
Customer Client	Date	
Drawn By Dessiné Par	BoxCad: BoxCad	Date 11-Jul-25
Material Matière	16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth
Description	Detail Rev.	
1412EL 16.5" x 12.75" Cover		
Part Number Numéro Pièce	Rev.	9
<b>1412EL161206C</b>	<b>0</b>	<b>9</b>

Qty	Part Number	Rev	Description
1	1412EL161206G	0	1412EL 16.5" x 12.75" Gasket
1	STK-Q-08350	5	Standoff M6 x 10mm
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1412EL161206C-P	0	1412EL 16.5" x 12.75" Cover Part
2	STK-A-33033	4	5412 ESMCH Hinge
2	STK-A-79960	14	5412 ESMCH - External Lock Assy - Slot Lock
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



No.	Revisions	Date	By/Par

**Isometric View**


<p>Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com</p>		Flatness Aplatissement
		Max 3.0mm
Projection		
Customer Client	Date	
Drawn By Dessiné Par	BoxCad	Date 23-Jan-07
Material Matière	14 Ga Galvanized (1.7mm)	
Color Couleur	Unpainted	Finish Fini Galvanized
Description	Detail Rev.	
880 SP1612G - Inner Panel		
Part Number Numéro Pièce	Rev.	1
<b>880 SP1612G</b>	<b>0</b>	2



**SEE BILL OF MATERIAL ON LAST PAGE**

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm
Customer Client		Projection 
Drawn By Dessiné Par BoxCad		Date 23-Jan-07
Material Matière 14 Ga Galvanized (1.7mm)		
Color Couleur Unpainted	Finish Fini Galvanized	
Description 880 SP1612G - Inner Panel		Detail Rev.
Part Number Numéro Pièce <b>880 SP1612G</b>	Rev. <b>0</b>	2 2

Qty	Part Number	Rev	Description
1	880 SP1612G-P	0	880 SP1612G - Inner Panel Part
Parts List			