



This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
 Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 11-Jul-25
Material Matière 16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur Asa-61 Grey	Finish Fini Smooth
Description 1412EL 21.5" x 17.75" x 6" Assembly	Detail Rev.
Part Number Numéro Pièce 1412EL211706	Rev. 1 0


SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

NOTE	
ITEM	DESCRIPTION
1	NEMA 4, 12 Enclosure (IP66)
2	C/W Standard ground standoffs on box and cover
3	W/O Standard door stiffener
4	C/W Special inner panel (Sold separately)
5	C/W Standard inner panel mounting standoffs
6	C/W 885 ESCHMF1 Mounting Feet (Installed)

No.	Revisions	Date	By/Par



Isometric View


 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com	Flatness Aplatissement Max 3.0mm
	Projection 
Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 11-Jul-25
Material Matière 16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur Asa-61 Grey	Finish Fini Smooth
Description 1412EL 21.5" x 17.75" x 6" Assembly	
Part Number Numéro Pièce 1412EL211706	Rev. 2 0 / 11

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together
Packaging label	1	White label with product number


Qty	Part Number	Rev	Description
1	1412EL211706C	0	1412EL 21.5" x 17.75" Cover
1	1412EL211706IP	0	1412EL 21.5" x 17.75" Inner Panel
1	STK-K-02910	3	5412 ESCH Accessory Kit
1	1412EL211706B	0	1412EL 21.5" x 17.75" x 6" Body
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT



FRONT






RIGHT



Isometric View




No.	Revisions	Date	By/Par

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm Projection 
Customer Client	Date	
Drawn By Dessiné Par	BoxCad: BoxCad	Date 11-Jul-25
Material Matière	16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth
Description 1412EL 21.5" x 17.75" x 6" Body		Detail Rev.
Part Number Numéro Pièce	1412EL211706B	Rev. 3
SEE BILL OF MATERIAL ON LAST PAGE		0 11

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	4.625	0.875	STANDOFF M6 x 10mm (Inside)



	Description	Status	
	1412EL 21.5" x 17.75" x 6" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	
	1412EL211706B	0	4 11

This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)

CUT-OUT	XDIM	YDIM	DESCRIPTION
1	0.875	0.875	IP STANDOFF M6 x 10mm (Inside)
2	0.875	20.625	IP STANDOFF M6 x 10mm (Inside)
3	16.875	20.625	IP STANDOFF M6 x 10mm (Inside)
4	16.875	0.875	IP STANDOFF M6 x 10mm (Inside)

5	17.187	0.000	FOOT 885 ESCHMF1
6	0.563	0.000	FOOT 885 ESCHMF1
7	17.187	21.500	FOOT 885 ESCHMF1
8	0.563	21.500	FOOT 885 ESCHMF1
9	17.187	0.344	RIVET NUT M6_FH_CE (Inside)
10	0.563	0.344	RIVET NUT M6_FH_CE (Inside)
11	17.187	21.156	RIVET NUT M6_FH_CE (Inside)
12	0.563	21.156	RIVET NUT M6_FH_CE (Inside)






	Description	Status
	1412EL 21.5" x 17.75" x 6" Body	(NULL)
	Part Number Numéro Pièce	Rev.
	1412EL211706B	0 / 5
		11

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com	Flatness Aplatissement
	Max 3.0mm
Projection	
Customer Client	Date
Drawn By Dessiné Par	Date 11-Jul-25
Material Matière	16 Ga Cold Rolled A1008 CS Type B (1.4mm)
Color Couleur	Asa-61 Grey
Finish Fini	Smooth
Description	Detail Rev.
1412EL 21.5" x 17.75" x 6" Body	
Part Number Numéro Pièce	Rev. 6
1412EL211706B	0


Qty	Part Number	Rev	Description
4	STK-Q-03071	0	M6 x 16mm Machine Screw
4	RIVET_NUT_M6_FH_CE	0	Rivet Nut M6 (Low Profile Close End)
4	885 ESCHMF1	2	5412 ESCH Stamped Mounting Foot
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1412EL211706B-P	0	1412EL 21.5" x 17.75" x 6" Body Part
5	STK-Q-08350	5	Standoff M6 x 10mm
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM



LEFT




FRONT





RIGHT

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 
Customer Client	Date	
Drawn By Dessiné Par	BoxCad: BoxCad	Date 11-Jul-25
Material Matière	16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth
Description 1412EL 21.5" x 17.75" Cover		Detail Rev.
Part Number Numéro Pièce	Rev. 0	7 / 11

SEE BILL OF MATERIAL ON LAST PAGE

1412EL211706C


This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)

CUT-OUT	XDIM	YDIM	DESCRIPTION
1	14.540	4.000	30.5 mm Standard Pushbutton
2	14.540	6.250	30.5 mm Standard Pushbutton
3	14.540	8.500	30.5 mm Standard Pushbutton
4	14.540	10.750	30.5 mm Standard Pushbutton
5	14.540	13.000	30.5 mm Standard Pushbutton
6	14.540	15.250	30.5 mm Standard Pushbutton
7	14.540	17.500	30.5 mm Standard Pushbutton
8	12.290	4.000	30.5 mm Standard Pushbutton
9	12.290	6.250	30.5 mm Standard Pushbutton
10	12.290	8.500	30.5 mm Standard Pushbutton
11	12.290	10.750	30.5 mm Standard Pushbutton
12	12.290	13.000	30.5 mm Standard Pushbutton
13	12.290	15.250	30.5 mm Standard Pushbutton
14	12.290	17.500	30.5 mm Standard Pushbutton
15	10.040	4.000	30.5 mm Standard Pushbutton
16	10.040	6.250	30.5 mm Standard Pushbutton
17	10.040	8.500	30.5 mm Standard Pushbutton
18	10.040	10.750	30.5 mm Standard Pushbutton
19	10.040	13.000	30.5 mm Standard Pushbutton
20	10.040	15.250	30.5 mm Standard Pushbutton
21	10.040	17.500	30.5 mm Standard Pushbutton
22	7.790	4.000	30.5 mm Standard Pushbutton
23	7.790	6.250	30.5 mm Standard Pushbutton
24	7.790	8.500	30.5 mm Standard Pushbutton
25	7.790	10.750	30.5 mm Standard Pushbutton
26	7.790	13.000	30.5 mm Standard Pushbutton
27	7.790	15.250	30.5 mm Standard Pushbutton
28	7.790	17.500	30.5 mm Standard Pushbutton
29	5.540	4.000	30.5 mm Standard Pushbutton
30	5.540	6.250	30.5 mm Standard Pushbutton
31	5.540	8.500	30.5 mm Standard Pushbutton
32	5.540	10.750	30.5 mm Standard Pushbutton
33	5.540	13.000	30.5 mm Standard Pushbutton
34	5.540	15.250	30.5 mm Standard Pushbutton
35	5.540	17.500	30.5 mm Standard Pushbutton
36	3.290	4.000	30.5 mm Standard Pushbutton
37	3.290	6.250	30.5 mm Standard Pushbutton
38	3.290	8.500	30.5 mm Standard Pushbutton
39	3.290	10.750	30.5 mm Standard Pushbutton
40	3.290	13.000	30.5 mm Standard Pushbutton
41	3.290	15.250	30.5 mm Standard Pushbutton
42	3.290	17.500	30.5 mm Standard Pushbutton
43	1.145	1.125	STANDOFF M6 x 10mm (Inside)
44	17.830	18.500	LOCK 880 SCQ2MS @ 0.0°
45	17.830	3.000	LOCK 880 SCQ2MS @ 0.0°




FRONT

	Description 1412EL 21.5" x 17.75" Cover	Status (NULL)
	Part Number Numéro Pièce 1412EL211706C	Rev. 8 0

This drawing is confidential and must not be reproduced or used without the consent of EXM



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Isometric View




 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com	Flatness Aplatissement	Max 3.0mm
	Projection	
Customer Client	Date	
Drawn By Dessiné Par	BoxCad: BoxCad	Date 11-Jul-25
Material Matière	16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth
Description	1412EL 21.5" x 17.75" Cover	
Part Number Numéro Pièce	1412EL211706C	Detail Rev. 9

Qty	Part Number	Rev	Description
1	1412EL211706G	0	1412EL 21.5" x 17.75" Gasket
1	STK-Q-08350	5	Standoff M6 x 10mm
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1412EL211706C-P	0	1412EL 21.5" x 17.75" Cover Part
2	STK-A-33033	4	5412 ESMCH Hinge
2	STK-A-79960	14	5412 ESMCH - External Lock Assy - Slot Lock
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



No.	Revisions	Date	By/Par

Isometric View


Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement	
		Max 3.0mm	
Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 11-Jul-25	
Material Matière 14 Ga Galvanized (1.7mm)			
Color Couleur Unpainted		Finish Fini Unpainted	
Description 1412EL 21.5" x 17.75" Inner Panel			Detail Rev.
Part Number Numéro Pièce 1412EL211706IP		Rev. 0	10 11

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Isometric View



		Flatness Aplatissement Max 3.0mm	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By / Dessiné Par: BoxCad: BoxCad		Date: 11-Jul-25	
Material / Matière: 14 Ga Galvanized (1.7mm)			
Color / Couleur: Unpainted		Finish / Fini: Unpainted	
Description: 1412EL 21.5" x 17.75" Inner Panel			Detail Rev.
Part Number / Numéro Pièce: 1412EL211706IP		Rev.:	11
		0	11

Qty	Part Number	Rev	Description
1	1412EL211706IP-P	0	1412EL 21.5" x 17.75" Inner Panel Part
Parts List			