

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS726012\5412DDS726012.idw

Tolérance $\pm 1/32$ " sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK



LEFT



FRONT




RIGHT




BOTTOM

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 18-Sep-14	
Material Matière		12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 5412DDS 72" x 60" x 12" Assembly			Detail Rev.
Part Number Numéro Pièce			Rev. 1
5412DDS726012			0
			18

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS726012\5412DDS726012.idw

Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 4, 12 Enclosure (IP66)
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting studs
6	C/W 880 PPL sold separately (Not installed)
7	C/W Eyebolts sold separately (Installed by EXM)
8	C/W Mounting feet sold separately (Installed)
9	C/W Struts installed (Included)
10	C/W Interlock Kit (Installed by EXM)

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 18-Sep-14	
BoxCad: BoxCad			
Material Matière		12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description			Detail Rev.
5412DDS 72" x 60" x 12" Assembly			
Part Number Numéro Pièce		Rev.	2
5412DDS726012		0	18

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

1	5412DDS726012MF	0	885 MFHD 12" x 12" Mounting Feet
1	880INTI	4	880 INTI - Interlock Post Kit
1	880EB14	2	Eye Bolt M14 (Pack of 2)
8	STK-Q-07320	0	Flange Lock Nut M10
1	885SP7260G	0	885 SP7260G Inner Panel
8	STK-Q-07620	0	M10 Plastic Spacer 0.875"
1	5412DDS726012FD	0	5412DDS 72" x 60" Cover
1	5412DDS726012LD	0	5412DDS 72" x 60" Cover
1	5412DDS726012B	0	5412DDS 72" x 60" x 12" Body
2	5412DDS726012GP	0	5412DDS Gland Plate
8	STK-Q-04050-10	8	M6 x 10mm Hexagon Socket Head Machine Screw with Nyseal
Qty	Part Number	Rev	Description
Parts List			


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS726012\5412DDS726012.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK




LEFT



FRONT




RIGHT




BOTTOM

No.	Revisions	Date	By/Par



Isometric View



	Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com	Flatness Aplatissement	
		 Max 3.0mm	
		Projection	
			
Customer Client		Date	
Drawn By Dessiné Par		Date 18-Sep-14	
Material Matière		12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description		Detail Rev.	
5412DDS 72" x 60" x 12" Body			
Part Number Numéro Pièce		Rev.	3
5412DDS726012B		0	18


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS726012\5412DDS726012.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	44.911	7.911	Struts CR400 21.500" (Inside)
2	14.911	7.911	Struts CR400 21.500" (Inside)
3	44.911	8.840	STUDS M6 x 10mm (Inside)
4	55.777	7.911	STUDS M6 x 10mm (Inside)
5	14.911	8.840	STUDS M6 x 10mm (Inside)
6	25.777	7.911	STUDS M6 x 10mm (Inside)



	Description	Status	
	5412DDS 72" x 60" x 12" Body	(NULL)	
	Part Number Numéro Pièce 5412DDS726012B	Rev. 0	4 18

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS726012\5412DDS726012.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - RIGHT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	10.411	3.286	GND STUD M6 x 16mm (Inside)



	Description	Status	
	5412DDS 72" x 60" x 12" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	5
	5412DDS726012B	0	18

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS726012\5412DDS726012.idw


Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	7.286	3.411	GP STUD M6 x 16mm (Inside)
2	16.536	3.411	GP STUD M6 x 16mm (Inside)
3	43.286	3.411	GP STUD M6 x 16mm (Inside)
4	52.536	3.411	GP STUD M6 x 16mm (Inside)
-----	-----	-----	-----
5	3.911	0.911	RND Ø0.500
6	0.911	5.911	RND Ø0.500
7	3.911	10.911	RND Ø0.500
8	55.911	0.911	RND Ø0.500
9	58.911	5.911	RND Ø0.500
10	55.911	10.911	RND Ø0.500



	Description	Status	
	5412DDS 72" x 60" x 12" Body	(NULL)	
	Part Number Numéro Pièce 5412DDS726012B	Rev. 0	6 18

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS726012\5412DDS726012.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.786	2.786	IP STUD M10 x 40mm (Inside)
2	57.036	2.786	IP STUD M10 x 40mm (Inside)
3	2.786	35.911	IP STUD M10 x 40mm (Inside)
4	57.036	35.911	IP STUD M10 x 40mm (Inside)
5	2.786	69.036	IP STUD M10 x 40mm (Inside)
6	57.036	69.036	IP STUD M10 x 40mm (Inside)
7	29.911	2.786	IP STUD M10 x 40mm (Inside)
8	29.911	69.036	IP STUD M10 x 40mm (Inside)



	Description	Status	
	5412DDS 72" x 60" x 12" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	8
	5412DDS726012B	0	18

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS726012\5412DDS726012.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - CENTER VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	0.748	42.220	INTERLOCK STUD M6 x 16mm (Inside)
2	0.748	44.346	INTERLOCK STUD M6 x 16mm (Inside)
3	2.717	42.220	INTERLOCK STUD M6 x 16mm (Inside)
4	2.717	44.346	INTERLOCK STUD M6 x 16mm (Inside)



	Description	Status	
	5412DDS 72" x 60" x 12" Body	(NULL)	
	Part Number	Rev.	9
	Numéro Pièce	0	18
5412DDS726012B			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS726012\5412DDS726012.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View

4	STK-Q-16030	0	Stud M6 x 10mm Steel
2	STK-Q-74900	0	Eyebolt Lifting Angle (8.750")
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
4	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	STK-A-75454	3	Center Post - Sealing Block with Latch Assembly (Large)
1	5412DDS726012CP-P	0	5412DDS 72" Center Post Part
2	STK-Q-07320	0	Flange Lock Nut M10
2	STK-Q-07618	1	5500 Series Inner Panel Support Bracket
8	STK-Q-16100	0	Stud M10 x 40mm Steel
1	5412DDS726012BT-P	0	5412DDS 60" x 12" Bottom Part
1	5412DDS726012T-P	0	5412DDS 60" x 12" Top Part
1	5412DDS726012RS-P	0	5412DDS 72" x 60" Right Part
1	5412DDS726012LS-P	0	5412DDS 72" x 60" Left Part
1	5412DDS726012B-P	0	5412DDS 72" x 60" Back Part
2	CR400MS_21.5	0	Commercial Roll Mild Steel (21.5in long)
6	STK-Q-16080	0	Ground Stud M6 x 16mm Steel

Qty	Part Number	Rev	Description
Parts List			



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Customer Client
Drawn By Dessiné Par BoxCad: BoxCad
Material Matière 12 Ga Cold Rolled A1008 CS Type B (2.5mm)
Color Couleur Asa-61 Grey
Description 5412DDS 72" x 60" x 12" Body
Part Number Numéro Pièce 5412DDS726012B

Flatness Aplatissement
Max 3.0mm
Projection
Date
Date 18-Sep-14
Detail Rev.

Rev. 0
10
18


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS726012\5412DDS726012.idw


Tolérance ±1/32" sauf spécification contraire



TOP




BACK




LEFT



FRONT



RIGHT



BOTTOM

No.	Revisions	Date	By/Par

Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement


Max 3.0mm


Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 18-Sep-14	
Material Matière		12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description			Detail Rev.
885 MFHD 12" x 12" Mounting Feet			
Part Number Numéro Pièce		Rev.	11
SEE BILL OF MATERIAL ON LAST PAGE		0	18
5412DDS726012MF			

No.	Revisions	Date	By/Par



		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com			
Customer Client		Date	
Drawn By Dessiné Par		BoxCad: BoxCad Date 18-Sep-14	
Material Matière 12 Ga Cold Rolled A1008 CS Type B (2.5mm)			
Color Couleur		Finish Fini	
Asa-61 Grey		Smooth	
Description		Detail Rev.	
885 MFHD 12" x 12" Mounting Feet			
Part Number Numéro Pièce		Rev.	12
5412DDS726012MF		0	18






1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
6	RIVET_NUT_M10_FH_CE	0	Rivet Nut M10 (Low Profile Close End)
1	5412DDS726012MFR-P	0	885 MFHD 12" x 12" Right Mounting Feet Part
1	5412DDS726012MFL-P	0	885 MFHD 12" x 12" Left Mounting Feet Part
3	STK-K-11600	2	885 MF Accessory Kit
Qty	Part Name	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS726012\5412DDS726012.idw

Tolérance ±1/32" sauf spécification contraire




Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection


Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 18-Sep-14
Material Matière 12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur Asa-61 Grey	Finish Fini Smooth
Description 5412DDS 72" x 60" Cover	Detail Rev.
Part Number Numéro Pièce 5412DDS726012LD	Rev. 13 0 18

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS726012\5412DDS726012.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.000	2.118	GND STUD M6 x 16mm (Inside)
2	26.750	60.430	LOCK 889 SCQ4-SL @ 0.0°
3	26.750	35.774	LOCK 889 SCQ4-SL @ 0.0°
4	26.750	11.118	LOCK 889 SCQ4-SL @ 0.0°
5	14.375	69.180	LOCK 889 SCQ4-SL @ 90.0°
6	14.375	2.368	LOCK 889 SCQ4-SL @ 270.0°
7	27.372	43.445	STUDS M6 x 18mm (Inside)
8	27.372	46.123	STUDS M6 x 18mm (Inside)



	Description	Status	
	5412DDS 72" x 60" Cover	(NULL)	
	Part Number	Rev.	14
	Numéro Pièce	0	18
5412DDS726012LD			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par








2	STK-Q-16050	1	Stud M6 x 18mm Steel
1	STK-Q-16080	0	Ground Stud M6 x 16mm Steel
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	5412DDS726012DG	0	5412DDS 72" x 60" Door Gasket
1	5412DDS726012LD-P	0	5412DDS 72" x 60" Slave Door Part
4	STK-K-09860	7	Cabinet Hinge with Captive Pins
5	STK-K-12580	0	9412 1/4 Turn Lock
QTY	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS726012\5412DDS726012.idw

Tolérance ±1/32" sauf spécification contraire




Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection


Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 18-Sep-14
Material Matière 12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur Asa-61 Grey	Finish Fini Smooth
Description 5412DDS 72" x 60" Cover	Detail Rev.
Part Number Numéro Pièce 5412DDS726012FD	Rev. 0
	16 18

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS726012\5412DDS726012.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	26.750	11.118	LOCK 889 SCQ4-SL @ 180.0°
2	26.750	35.774	LOCK 889 SCQ4-SL @ 180.0°
3	14.375	69.180	LOCK 889 SCQ4-SL @ 90.0°
4	14.375	2.368	LOCK 889 SCQ4-SL @ 270.0°
5	26.750	60.430	LOCK 889 SCQ4-SL @ 180.0°
6	2.000	2.118	GND STUD M6 x 16mm (Inside)
7	27.372	43.445	STUDS M6 x 18mm (Inside)
8	27.372	46.123	STUDS M6 x 18mm (Inside)



	Description	Status	
	5412DDS 72" x 60" Cover	(NULL)	
	Part Number	Rev.	17
	Numéro Pièce 5412DDS726012FD	0	18




Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS726012\5412DDS726012.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par
			
			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com			Flatness Aplatissement  Max 3.0mm
			Projection 
Customer Client			Date
Drawn By Dessiné Par BoxCad: BoxCad			Date 18-Sep-14
Material Matière 12 Ga Cold Rolled A1008 CS Type B (2.5mm)			
Color Couleur Asa-61 Grey			Finish Fini Smooth
Description 5412DDS 72" x 60" Cover			Detail Rev.
Part Number Numéro Pièce 5412DDS726012FD			Rev. 18 018

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

2	STK-Q-16050	1	Stud M6 x 18mm Steel
1	STK-Q-16080	0	Ground Stud M6 x 16mm Steel
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	5412DDS726012DG	0	5412DDS 72" x 60" Door Gasket
1	5412DDS726012FD-P	0	5412DDS 72" x 60" Master Door Part
4	STK-K-09860	7	Cabinet Hinge with Captive Pins
5	STK-K-12580	0	9412 1/4 Turn Lock
QTY	Part Number	Rev	Description
Parts List			




This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\885SP\885SP7260G.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM





No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad		Date 04/11/2009	
Material Matière			

SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par



Isometric View

	Flatness Aplatissement  Max 3.0mm	
	Projection 	
Customer Client	Date	
Drawn By Dessiné Par BoxCad	Date 04/11/2009	
Material Matière 12 Ga Galvanized (2.5mm)		
Color Couleur Unpainted	Finish Fini Unpainted	
Description 885 SP7260G Inner Panel	Detail Rev.	
Part Number Numéro Pièce 885SP7260G	Rev. 0	2 / 2

1	885SP7260G-P	0	885 SP7260G Inner Panel Part
Qty	Part Number	Rev	Description
Parts List			