

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT242408TH\5412ESQT242408TH.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK




LEFT



FRONT




RIGHT





BOTTOM

No.	Revisions	Date	By/Par





Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 18-Jul-23	
Material Matière		16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 5412ESQT 24" x 24" x 8" Assembly			Detail Rev.
Part Number Numéro Pièce		Rev. 0	1
SEE BILL OF MATERIAL ON LAST PAGE		5412ESQT242408TH	
		16	

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified										C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT242408TH\5412ESQT242408TH.idw										Tolérance ±1/32" sauf spécification contraire																																							
NOTE															No.	Revisions					Date					By/Par																																	
ITEM		DESCRIPTION																																																									
1		NEMA 4/12 Enclosure																																																									
2		C/W Standard ground studs on box and cover																																																									
3		C/W Standard door stiffener																																																									
4		C/W Standard inner panel (Included)																																																									
5		C/W Standard inner panel mounting studs																																																									
6		C/W 885 ESMF3_OPEN Sold separately (Installed)																																																									
7		C/W 885 ESMF3_CLOSE Sold separately (Installed)																																																									
8		C/W R5 Insulation (Installed by EXM)																																																									
																																																											
																																								Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com										Flatness Aplatissement Max 3.0mm Projection 									
																														Customer Client										Date																			
																														Drawn By Dessiné Par										BoxCad: BoxCad										Date 18-Jul-23									
																														Material Matière										16 Ga Cold Rolled A1008 CS Type B (1.4mm)																			
																														Color Couleur										Asa-61 Grey										Finish Fini Smooth									
Description										5412ESQT 24" x 24" x 8" Assembly										Detail Rev.																																							
Part Number Numéro Pièce										5412ESQT242408TH										Rev. 0					2 16																																		
Qty										Part Number					Rev					Description																																							
										Parts List																																																	

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT242408TH\5412ESQT242408TH.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK



LEFT




FRONT




RIGHT



BOTTOM



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 18-Jul-23

Material
Matière

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

5412ESQT 24" x 24" x 8" Body

Detail Rev.

Part Number
Numéro Pièce

5412ESQT242408THB

Rev.

3

0

16

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT242408TH\5412ESQT242408TH.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.000	6.500	INSUL. STUD M6 x 18mm (Inside)
2	22.000	6.500	INSUL. STUD M6 x 18mm (Inside)



	Description	Status	
	5412ESQT 24" x 24" x 8" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	4
	5412ESQT242408THB	0	16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT242408TH\5412ESQT242408TH.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.000	6.500	INSUL. STUD M6 x 18mm (Inside)
2	22.000	6.500	INSUL. STUD M6 x 18mm (Inside)



	Description	Status	
	5412ESQT 24" x 24" x 8" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	5
	5412ESQT242408THB	0	16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT242408TH\5412ESQT242408TH.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	1.875	IP STUD M8 x 35mm (Inside)
2	1.875	22.125	IP STUD M8 x 35mm (Inside)
3	22.125	22.125	IP STUD M8 x 35mm (Inside)
4	22.125	1.875	IP STUD M8 x 35mm (Inside)
-----	-----	-----	-----
5	23.250	0.000	FOOT 885 ESMF3_OPEN
6	0.750	0.000	FOOT 885 ESMF3_OPEN
7	23.250	24.000	FOOT 885 ESMF3_CLOSE
8	0.750	24.000	FOOT 885 ESMF3_CLOSE



	Description		Status	
	5412ESQT 24" x 24" x 8" Body		(NULL)	
	Part Number Numéro Pièce 5412ESQT242408THB		Rev. 0	6 16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT242408TH\5412ESQT242408TH.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par





Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

1	885 ESMF3	0	885 ESMF3 Mounting Foot Kit
4	RIVET_NUT_M10_FH_CE	0	Rivet Nut M10 (Low Profile Close End)
1	STK-K-70554	3	5412 ESTH Accessory Kit
1	5412ESQT242408THI-RS	0	5412ESQT 24" x 24" Right Insulation
1	5412ESQT242408THI-LS	0	5412ESQT 24" x 24" Left Insulation
1	5412ESQT242408THI-BT	0	5412ESQT 24" x 24" Top and Bottom Insulation
1	5412ESQT242408THI-TP	0	5412ESQT 24" x 24" Top and Bottom Insulation
1	5412ESQT242408THI-B	0	5412ESQT 24" x 24" Back Insulation
4	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
4	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	5412ESQT242408THB-P	0	5412ESQT 24" x 24" x 8" Body Part
Qty	Part Number	Rev	Description
Parts List			

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 18-Jul-23	
Material Matière 16 Ga Cold Rolled A1008 CS Type B (1.4mm)			
Color Couleur Asa-61 Grey		Finish Fin Smooth	
Description 5412ESQT 24" x 24" x 8" Body			Detail Rev.
Part Number Numéro Pièce 5412ESQT242408THB		Rev. 0	7 16

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT242408TH\5412ESQT242408TH.idw


Tolérance $\pm 1/32$ " sauf spécification contraire




TOP




BACK




LEFT



FRONT




RIGHT






BOTTOM

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date	
Material Matière		16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 5412ESQT 24" x 24" Cover			Detail Rev.
Part Number Numéro Pièce		Rev.	8
SEE BILL OF MATERIAL ON LAST PAGE		0	16
5412ESQT242408THC			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Diagram showing the front view of a rectangular object. The object is defined by a rectangle with a width of 23.803 and a height of 0.000. The front view is labeled "FRONT" at the bottom center. The object is divided into four quadrants by a vertical centerline and a horizontal centerline. The quadrants are numbered 1 through 12, with 1 in the top-left, 2 in the top-right, 3 in the bottom-left, and 4 in the bottom-right. The corners are marked with numbered circles: 11 at the top-left, 9 at the top-right, 12 at the bottom-left, and 10 at the bottom-right. The dimensions are indicated by arrows and labels: 0.000 for the height, 23.803 for the width, and 23.918 for the total width including the centerline.

FRONT

	Description		Status	
	5412ESQT 24" x 24" Cover		(NULL)	
	Part Number Numéro Pièce 5412ESQT242408THC		Rev. 0	9 16

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT242408TH\5412ESQT242408TH.idw


Tolérance ±1/32" sauf spécification contraire

No.


Revisions

Date

By/Par




Isometric View






Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement



Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

18-Jul-23

Material
Matière

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

5412ESQT 24" x 24" Cover

Detail Rev.

Part Number
Numéro Pièce

5412ESQT242408THC

Rev.

10

16


2	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
4	STK-Q-07250	2	M6 x 16mm Collar Nut
2	STK-Q-46020-24	5	5412 ES Vertical Door Stiffener 24"
1	5412ESQT242408THI-C	0	5412ESQT 24" x 24" Cover Insulation
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
8	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	5412ESQT242408THG	0	5412ESQT 24" x 24" Cover Gasket Part
1	5412ESQT242408THC-P	0	5412ESQT 24" x 24" Cover Part
4	STK-K-12500	16	5412 ES 1/4 Turn Lock
4	STK-Q-46515	3	5412 ES Door Support with Brass Insert
QTY	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM




Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT242408TH\5412ESQT242408TH.idw

Tolérance $\pm 1/32$ " sauf spécification contraire



SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par
 Isometric View			
			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 23-Jan-07	
Material Matière		Polyisocyanurate	
Color Couleur		Finish Fini	
Aluminum		N/A	
Description			Detail Rev.
5412ESQT 24" x 24" Back Insulation			
Part Number Numéro Pièce		Rev.	11
5412ESQT242408THI-B		0	16


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT242408TH\5412ESQT242408TH.idw

Tolérance $\pm 1/32$ " sauf spécification contraire




SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 23-Jan-07	
Material Matière		Polyisocyanurate	
Color Couleur		Finish Finis	
Aluminum		N/A	
Description		Detail Rev.	
5412ESQT 24" x 24" Left Insulation			
Part Number Numéro Pièce		Rev.	12
5412ESQT242408THI-LS		0	16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

		Flatness Apatissement	
		 Max 3.0mm	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Patrick Deschenes Date 23-Jan-07	
Material Matière			
Polyisocyanurate			
Color Couleur	Aluminum	Finish Fini	N/A
Description		Detail Rev.	
5412ESQT 24" x 24" Right Insulation			
Part Number Numéro Pièce		Rev.	13
5412ESQT242408THI-RS		0	16

Isometric View

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM



Isometric View

SEE BILL OF MATERIAL ON LAST PAGE




This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT242408TH\5412ESQT242408TH.idw


Tolérance ±1/32" sauf spécification contraire



TOP



FRONT



RIGHT

No.	Revisions	Date	By/Par

Isometric View


 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm	
Customer Client		Date	
Drawn By Dessiné Par		Date 23-Jan-07	
Material Matière		Polyisocyanurate	
Color Couleur		Finish Fini	
Aluminum		N/A	
Description			Detail Rev.
5412ESQT 24" x 24" Cover Insulation			
Part Number Numéro Pièce		Rev.	16
5412ESQT242408THI-C		0	16

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Tolerance $\pm 1/32"$ unless otherwise specified

Tolérance $\pm 1/32"$ sauf spécification contraire



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection

Customer
Client

Date _____

Drawn By
Dessiné Par

BoxCad

Date 23-Jan-07

Material
Matière

See Part List

Color	Couleur
-------	---------

See Part List

Finish
Fin

See Part List

Description

881 SP - Inner Panel

Detail Rev.

Part Number
Numéro Pièce

881 SP2424G


Rev.

W.	1
0	1

1	881 SP2424G-P	0	881 SP - Inner Panel Part	12 Ga Galvanized	Unpainted	Galvanized
Qty	Part Number	Rev	Description	Material	Color	Finish
Parts List						

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM