


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT423010TH\5412ESQT423010TH.idw

Tolérance $\pm 1/32$ " sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT




RIGHT




BOTTOM

No.	Revisions	Date	By/Par



Isometric View







 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com	Flatness Aplatissement Max 3.0mm	
	Projection 	
Customer Client	Date	
Drawn By Dessiné Par	Date 13-Jul-23	
Material Matière	BoxCad: BoxCad 14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth
Description 5412ESQT 42" x 30" x 10" Assembly	Detail Rev.	
Part Number Numéro Pièce	Rev. 0	1 16

SEE BILL OF MATERIAL ON LAST PAGE

5412ESQT423010TH

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified		C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT423010TH\5412ESQT423010TH.idw		Tolérance ±1/32" sauf spécification contraire																																																	
<table><tr><th colspan="2">NOTE</th></tr><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 4/12 Enclosure</td></tr><tr><td>2</td><td>C/W Standard ground studs on box and cover</td></tr><tr><td>3</td><td>C/W Standard door stiffener</td></tr><tr><td>4</td><td>C/W Standard inner panel (Included)</td></tr><tr><td>5</td><td>C/W Standard inner panel mounting studs</td></tr><tr><td>6</td><td>C/W 885 ESMF3_OPEN Sold separately (Installed)</td></tr><tr><td>7</td><td>C/W 885 ESMF3_CLOSE Sold separately (Installed)</td></tr><tr><td>8</td><td>C/W R5 Insulation (Installed by EXM)</td></tr></table>				NOTE		ITEM	DESCRIPTION	1	NEMA 4/12 Enclosure	2	C/W Standard ground studs on box and cover	3	C/W Standard door stiffener	4	C/W Standard inner panel (Included)	5	C/W Standard inner panel mounting studs	6	C/W 885 ESMF3_OPEN Sold separately (Installed)	7	C/W 885 ESMF3_CLOSE Sold separately (Installed)	8	C/W R5 Insulation (Installed by EXM)	<table><tr><th>No.</th><th>Revisions</th><th>Date</th><th>By/Par</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>		No.	Revisions	Date	By/Par																								
NOTE																																																					
ITEM	DESCRIPTION																																																				
1	NEMA 4/12 Enclosure																																																				
2	C/W Standard ground studs on box and cover																																																				
3	C/W Standard door stiffener																																																				
4	C/W Standard inner panel (Included)																																																				
5	C/W Standard inner panel mounting studs																																																				
6	C/W 885 ESMF3_OPEN Sold separately (Installed)																																																				
7	C/W 885 ESMF3_CLOSE Sold separately (Installed)																																																				
8	C/W R5 Insulation (Installed by EXM)																																																				
No.	Revisions	Date	By/Par																																																		
																																																					
				Isometric View																																																	
																																																					
				<table><tr><td colspan="2"></td><td colspan="2">Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com</td><td colspan="2">Flatness Aplatissement Max 3.0mm Projection </td></tr><tr><td colspan="4">Customer Client</td><td colspan="2">Date</td></tr><tr><td colspan="4">Drawn By Dessiné Par BoxCad: BoxCad</td><td colspan="2">Date 13-Jul-23</td></tr><tr><td colspan="4">Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)</td><td colspan="2"></td></tr><tr><td colspan="4">Color Couleur Asa-61 Grey</td><td colspan="2">Finish Fini Smooth</td></tr><tr><td colspan="4">Description 5412ESQT 42" x 30" x 10" Assembly</td><td colspan="2">Detail Rev.</td></tr><tr><td colspan="4">Part Number Numéro Pièce 5412ESQT423010TH</td><td colspan="2">Rev. 0</td></tr></table>				Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 		Customer Client				Date		Drawn By Dessiné Par BoxCad: BoxCad				Date 13-Jul-23		Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)						Color Couleur Asa-61 Grey				Finish Fini Smooth		Description 5412ESQT 42" x 30" x 10" Assembly				Detail Rev.		Part Number Numéro Pièce 5412ESQT423010TH				Rev. 0							
		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 																																																	
Customer Client				Date																																																	
Drawn By Dessiné Par BoxCad: BoxCad				Date 13-Jul-23																																																	
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)																																																					
Color Couleur Asa-61 Grey				Finish Fini Smooth																																																	
Description 5412ESQT 42" x 30" x 10" Assembly				Detail Rev.																																																	
Part Number Numéro Pièce 5412ESQT423010TH				Rev. 0																																																	
				<table><tr><td>6</td><td>STK-Q-00600</td><td>2</td><td>M12 to M8 Adaptor</td></tr><tr><td>1</td><td>881 SP4230G</td><td>0</td><td>881 SP - Inner Panel</td></tr><tr><td>1</td><td>STK-K-01800</td><td>5</td><td>5412 ES Accessory Kit</td></tr><tr><td>1</td><td>5412ESQT423010THC</td><td>0</td><td>5412ESQT 42" x 30" Cover</td></tr><tr><td>1</td><td>5412ESQT423010THB</td><td>0</td><td>5412ESQT 42" x 30" x 10" Body</td></tr><tr><td>Qty</td><td>Part Number</td><td>Rev</td><td>Description</td></tr><tr><td colspan="4">Parts List</td></tr></table>		6	STK-Q-00600	2	M12 to M8 Adaptor	1	881 SP4230G	0	881 SP - Inner Panel	1	STK-K-01800	5	5412 ES Accessory Kit	1	5412ESQT423010THC	0	5412ESQT 42" x 30" Cover	1	5412ESQT423010THB	0	5412ESQT 42" x 30" x 10" Body	Qty	Part Number	Rev	Description	Parts List																							
6	STK-Q-00600	2	M12 to M8 Adaptor																																																		
1	881 SP4230G	0	881 SP - Inner Panel																																																		
1	STK-K-01800	5	5412 ES Accessory Kit																																																		
1	5412ESQT423010THC	0	5412ESQT 42" x 30" Cover																																																		
1	5412ESQT423010THB	0	5412ESQT 42" x 30" x 10" Body																																																		
Qty	Part Number	Rev	Description																																																		
Parts List																																																					

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT423010TH\5412ESQT423010TH.idw

Tolérance $\pm 1/32$ " sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT



FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 13-Jul-23

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

5412ESQT 42" x 30" x 10" Body

Detail Rev.

Part Number
Numéro Pièce

5412ESQT423010THB

Rev.

3

0

16

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT423010TH\5412ESQT423010TH.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.000	8.500	INSUL. STUD M6 x 18mm (Inside)
2	28.000	8.500	INSUL. STUD M6 x 18mm (Inside)



	Description	Status	
	5412ESQT 42" x 30" x 10" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	4
	5412ESQT423010THB	0	16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT423010TH\5412ESQT423010TH.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.000	8.500	INSUL. STUD M6 x 18mm (Inside)
2	28.000	8.500	INSUL. STUD M6 x 18mm (Inside)



	Description		Status	
	5412ESQT 42" x 30" x 10" Body		(NULL)	
	Part Number Numéro Pièce		Rev.	5
	5412ESQT423010THB		0	16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT423010TH\5412ESQT423010TH.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	1.875	IP STUD M8 x 35mm (Inside)
2	1.875	40.125	IP STUD M8 x 35mm (Inside)
3	28.125	40.125	IP STUD M8 x 35mm (Inside)
4	28.125	1.875	IP STUD M8 x 35mm (Inside)
5	1.875	21.000	IP STUD M8 x 35mm (Inside)
6	28.125	21.000	IP STUD M8 x 35mm (Inside)
-----	-----	-----	-----
7	29.250	0.000	FOOT 885 ESMF3_OPEN
8	0.750	0.000	FOOT 885 ESMF3_OPEN
9	29.250	42.000	FOOT 885 ESMF3_CLOSE
10	0.750	42.000	FOOT 885 ESMF3_CLOSE



	Description	Status	
	5412ESQT 42" x 30" x 10" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	6
	5412ESQT423010THB	0	16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT423010TH\5412ESQT423010TH.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client Date

Drawn By Dessiné Par BoxCad: BoxCad Date 13-Jul-23

Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color Couleur Asa-61 Grey Finish Fini Smooth

Description 5412ESQT 42" x 30" x 10" Body Detail Rev.

Part Number Numéro Pièce 5412ESQT423010THB Rev. 7 16

1	885 ESMF3	0	885 ESMF3 Mounting Foot Kit
4	RIVET_NUT_M10_FH_CE	0	Rivet Nut M10 (Low Profile Close End)
1	STK-K-70554	3	5412 ESTH Accessory Kit
1	5412ESQT423010THI-RS	0	5412ESQT 42" x 30" Right Insulation
1	5412ESQT423010THI-LS	0	5412ESQT 42" x 30" Left Insulation
1	5412ESQT423010THI-BT	0	5412ESQT 42" x 30" Top and Bottom Insulation
1	5412ESQT423010THI-TP	0	5412ESQT 42" x 30" Top and Bottom Insulation
1	5412ESQT423010THI-B	0	5412ESQT 42" x 30" Back Insulation
4	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
6	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	5412ESQT423010THB-P	0	5412ESQT 42" x 30" x 10" Body Part
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT423010TH\5412ESQT423010TH.idw

Tolérance ±1/32" sauf spécification contraire




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 13-Jul-23

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

5412ESQT 42" x 30" Cover

Detail Rev.

Part Number
Numéro Pièce

5412ESQT423010THC

Rev. 8

0

16

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT423010TH\5412ESQT423010TH.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.401	1.709	STUD M6 x 18mm (Inside)
2	2.401	40.094	STUD M6 x 18mm (Inside)
3	27.517	40.094	STUD M6 x 18mm (Inside)
4	27.517	1.709	STUD M6 x 18mm (Inside)
5	2.401	20.902	STUD M6 x 18mm (Inside)
6	27.517	20.902	STUD M6 x 18mm (Inside)
7	3.148	2.350	STUD M6 x 18mm (Inside)
8	3.148	39.453	STUD M6 x 18mm (Inside)
9	26.770	39.453	STUD M6 x 18mm (Inside)
10	26.770	2.350	STUD M6 x 18mm (Inside)
11	1.550	1.500	STUD M6 x 18mm (Inside)
12	28.368	1.500	STUD M6 x 18mm (Inside)
13	1.550	40.303	STUD M6 x 18mm (Inside)
14	28.368	40.303	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
15	28.494	20.902	880 SCQ4-SL
16	28.494	4.250	880 SCQ4-SL
17	14.959	40.379	880 SCQ4-SL
18	14.959	1.424	880 SCQ4-SL
19	1.424	37.553	880 SCQ4-SL
20	1.424	20.902	880 SCQ4-SL
21	1.424	4.250	880 SCQ4-SL
22	28.494	37.553	880 SCQ4-SL




	Description		Status	
	5412ESQT 42" x 30" Cover		(NULL)	
	Part Number Numéro Pièce 5412ESQT423010THC		Rev. 0	9 16


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

No.	Revisions	Date	By/Par




Isometric View




 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement Max 3.0mm Projection 	Customer Client Date
	Drawn By Dessiné Par Material Matière BoxCad: BoxCad 14 Ga Cold Rolled A1008 CS Type B (1.7mm)
Color Couleur Asa-61 Grey Finish Fin Smooth	Date 13-Jul-23
Description 5412ESQT 42" x 30" Cover	Detail Rev.
Part Number Numéro Pièce 5412ESQT423010THC	Rev. 0 10 16

This drawing is confidential and must not be reproduced or used without the consent of EXM





SEE BILL OF MATERIAL ON LAST PAGE


No.	Revisions	Date	By/Par






Isometric View




 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 23-Jan-07	
Material Matière		Polyisocyanurate	
Color Couleur		Finish Fini	
Aluminum		N/A	
Description		Detail Rev.	
5412ESQT 42" x 30" Back Insulation			
Part Number Numéro Pièce		Rev.	11
5412ESQT423010THI-B		0	16



SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 23-Jan-07	
Material Matière		Polyisocyanurate	
Color Couleur		Finish Fini	
Aluminum		N/A	
Description 5412ESQT 42" x 30" Left Insulation			Detail Rev.
Part Number Numéro Pièce			Rev. 12
5412ESQT423010THI-LS			0 16



No.	Revisions	Date	By/Par



Isometric View





Tél: (450) 979-4373


Fax: (450) 979-4626

www.exmweb.com

Flatness
Aplatissement


Max 3.0mm

Projection




Customer Client	Date
Drawn By Dessiné Par	BoxCad: Patrick Deschenes
Material Matière	Polyisocyanurate
Color Couleur	Aluminum
Finish Fini	N/A
Description	Detail Rev.
5412ESQT 42" x 30" Right Insulation	
Part Number Numéro Pièce	Rev.
5412ESQT423010THI-RS	0


13

16

SEE BILL OF MATERIAL ON LAST PAGE




TOP




FRONT

0.000
0.750



RIGHT



Isometric View



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com


Flatness
Aplatissement

Max 3.0mm

Projection


Customer Client		Date	
Drawn By Dessiné Par		Date 23-Jan-07	
Material Matière		Polyisocyanurate	
Color Couleur		Finish Fin	
Aluminum		N/A	
Description			Detail Rev.
5412ESQT 42" x 30" Top and Bottom Insulation			
Part Number Numéro Pièce		Rev.	14
5412ESQT423010THI-TP		0	16

SEE BILL OF MATERIAL ON LAST PAGE



Isometric View

SEE BILL OF MATERIAL ON LAST PAGE




Isometric View

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT423010TH\5412ESQT423010TH.idw


Tolérance $\pm 1/32$ " sauf spécification contraire




TOP



FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: Patrick Deschenes

Date 23-Jan-07

Material
Matière

Polyisocyanurate

Color
Couleur

Aluminum

Finish
Fini

N/A

Description

5412ESQT 42" x 30" Cover Insulation

Detail Rev.

Part Number
Numéro Pièce
5412ESQT423010THI-C

Rev.

16
0

16


SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance $\pm 1/32"$ unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\881SP\881SP4230G.idw



Tolérance $\pm 1/32"$ sauf spécification contraire



TOP




FRONT



RIGHT

No.	Revisions	Date	By/Par




Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement



Projection

Customer
Client

Date _____

Drawn By
Dessiné Par

Date 23-Jan-07

Material
Matière

See Part List

Color	Couleur
Black	Noir
Blue	Bleu
Brown	Marron
Green	Vert
Grey	Gris
Orange	Orange
Pink	Rose
Purple	Violet
Red	Rouge
White	Blanc
Yellow	Jaune

See Part List

Finish
Fini

See Part List

Description

Detail Rev.

881 SP - Inner Panel

Part Number
Numéro Pièce

Rev.


881 SP4230G

0 | /

1	881 SP4230G-P	0	881 SP - Inner Panel Part	12 Ga Galvanized	Unpainted	Galvanized
Qty	Part Number	Rev	Description	Material	Color	Finish
Parts List						

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



This drawing is confidential and must not be reproduced or used without the consent of EXM