


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT603620TH\5412ESQT603620TH.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT




FRONT



RIGHT



BOTTOM



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 07-Jul-23

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

5412ESQT 60" x 36" x 20" Assembly

Detail Rev.

Part Number
Numéro Pièce

5412ESQT603620TH

Rev.

1

0

16

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT603620TH\5412ESQT603620TH.idw

Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 4/12 Enclosure
2	C/W Standard ground studs on box and cover
3	C/W Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting studs
6	C/W 885 ESMF3_OPEN Sold separately (Installed)
7	C/W 885 ESMF3_CLOSE Sold separately (Installed)
8	C/W R5 Insulation (Installed by EXM)

No.	Revisions	Date	By/Par





Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

8	STK-Q-00600	2	M12 to M8 Adaptor
1	881 SP6036G	0	881 SP - Inner Panel
1	STK-K-01800	5	5412 ES Accessory Kit
1	5412ESQT603620THC	0	5412ESQT 60" x 36" Cover
1	5412ESQT603620THB	0	5412ESQT 60" x 36" x 20" Body
Qty	Part Number	Rev	Description
Parts List			

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 07-Jul-23	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 5412ESQT 60" x 36" x 20" Assembly			Detail Rev.
Part Number Numéro Pièce		Rev.	2
5412ESQT603620TH		0	16


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT603620TH\5412ESQT603620TH.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 07-Jul-23

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

5412ESQT 60" x 36" x 20" Body

Detail Rev.

Part Number
Numéro Pièce

5412ESQT603620THB

Rev.

3


0

16

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.000	18.500	INSUL. STUD M6 x 18mm (Inside)
2	34.000	18.500	INSUL. STUD M6 x 18mm (Inside)



	Description 5412ESQT 60" x 36" x 20" Body	Status (NULL)	
	Part Number Numéro Pièce 5412ESQT603620THB	Rev. 0	4 16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT603620TH\5412ESQT603620TH.idw

Tolérance ±1/32" sauf spécification contraire


STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	1.875	IP STUD M8 x 35mm (Inside)
2	1.875	58.125	IP STUD M8 x 35mm (Inside)
3	34.125	58.125	IP STUD M8 x 35mm (Inside)
4	34.125	1.875	IP STUD M8 x 35mm (Inside)
5	1.875	30.000	IP STUD M8 x 35mm (Inside)
6	34.125	30.000	IP STUD M8 x 35mm (Inside)
7	18.000	1.875	IP STUD M8 x 35mm (Inside)
8	18.000	58.125	IP STUD M8 x 35mm (Inside)
-----	-----	-----	-----
9	35.250	0.000	FOOT 885 ESMF3_OPEN
10	0.750	0.000	FOOT 885 ESMF3_OPEN
11	35.250	60.000	FOOT 885 ESMF3_CLOSE
12	0.750	60.000	FOOT 885 ESMF3_CLOSE




	Description		Status	
	5412ESQT 60" x 36" x 20" Body		(NULL)	
	Part Number Numéro Pièce 5412ESQT603620THB		Rev. 0	6 16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Isometric View

		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
Customer Client		Date		Projection 	
Drawn By Dessiné Par		BoxCad: BoxCad		Date 07-Jul-23	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)			
Color Couleur		Asa-61 Grey		Finish Fini Smooth	
Description 5412ESQT 60" x 36" x 20" Body				Detail Rev.	
Part Number Numéro Pièce 5412ESQT603620THB				Rev. 7 016	

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT603620TH\5412ESQT603620TH.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP



BACK




BOTTOM

0.000
0.800

LEFT

0.000




FRONT

35.918


59.803

0.000

RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client Date

Drawn By Dessiné Par BoxCad: BoxCad Date 07-Jul-23

Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color Couleur Asa-61 Grey Finish Fini Smooth

Description 5412ESQT 60" x 36" Cover Detail Rev.

Part Number Numéro Pièce Rev. 8

5412ESQT603620THC

0

16

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT603620TH\5412ESQT603620TH.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.401	1.850	STUD M6 x 18mm (Inside)
2	2.401	57.953	STUD M6 x 18mm (Inside)
3	33.517	57.953	STUD M6 x 18mm (Inside)
4	33.517	1.850	STUD M6 x 18mm (Inside)
5	2.401	29.902	STUD M6 x 18mm (Inside)
6	33.517	29.902	STUD M6 x 18mm (Inside)
7	3.195	2.350	STUD M6 x 18mm (Inside)
8	3.195	57.453	STUD M6 x 18mm (Inside)
9	32.723	57.453	STUD M6 x 18mm (Inside)
10	32.723	2.350	STUD M6 x 18mm (Inside)
11	1.550	1.500	STUD M6 x 18mm (Inside)
12	34.368	1.500	STUD M6 x 18mm (Inside)
13	1.550	58.303	STUD M6 x 18mm (Inside)
14	34.368	58.303	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
15	1.424	55.553	880 SCQ4-SL
16	1.424	29.902	880 SCQ4-SL
17	1.424	4.250	880 SCQ4-SL
18	34.494	55.553	880 SCQ4-SL
19	34.494	29.902	880 SCQ4-SL
20	34.494	4.250	880 SCQ4-SL
21	17.959	58.379	880 SCQ4-SL
22	17.959	1.424	880 SCQ4-SL



	Description		Status	
	5412ESQT 60" x 36" Cover		(NULL)	
	Part Number Numéro Pièce 5412ESQT603620THC		Rev. 0	9 16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT603620TH\5412ESQT603620TH.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.


Revisions

Date

By/Par



Isometric View






Tél: (450) 979-4373

Fax: (450) 979-4626

www.exmweb.com


Flatness

Aplatissement



Max 3.0mm

Projection



Customer Client

Date

Drawn By Dessiné Par

BoxCad: BoxCad

Date 07-Jul-23

Material Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color Couleur

Asa-61 Grey

Finish Fini

Smooth

Description

5412ESQT 60" x 36" Cover

Detail Rev.

Part Number

Numéro Pièce

5412ESQT603620THC

Rev.

10

0

16


2	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
10	STK-Q-07250	2	M6 x 16mm Collar Nut
2	STK-Q-46025-36-3	0.1.1	5412 ES Horizontal Door Stiffener 36" (3 Pts)
2	STK-Q-46020-60	5	5412 ES Vertical Door Stiffener 60"
1	5412ESQT603620THI-C	0	5412ESQT 60" x 36" Cover Insulation
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
14	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	5412ESQT603620THG	0	5412ESQT 60" x 36" Cover Gasket Part
1	5412ESQT603620THC-P	0	5412ESQT 60" x 36" Cover Part
8	STK-K-12500	16	5412 ES 1/4 Turn Lock
4	STK-Q-46515	3	5412 ES Door Support with Brass Insert
QTY	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM





Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT603620TH\5412ESQT603620TH.idw

Tolérance ±1/32" sauf spécification contraire




SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 23-Jan-07	
Material Matière		Polyisocyanurate	
Color Couleur		Finish Fini	
Aluminum		N/A	
Description		Detail Rev.	
5412ESQT 60" x 36" Back Insulation			
Part Number Numéro Pièce		Rev.	11
5412ESQT603620THI-B		0	16


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




SEE BILL OF MATERIAL ON LAST PAGE


No.	Revisions	Date	By/Par





Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement Max 3.0mm Projection 		Customer Client	Date
		Drawn By Dessiné Par	Date 23-Jan-07
Material Matière Polyisocyanurate		Color Couleur Aluminum	
Description 5412ESQT 60" x 36" Left Insulation		Detail Rev.	
Part Number Numéro Pièce 5412ESQT603620THI-LS		Rev. 0	12 16



SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 23-Jan-07	
Material Matière		Polyisocyanurate	
Color Couleur		Finish Fini	
Aluminum		N/A	
Description		Detail Rev.	
5412ESQT 60" x 36" Right Insulation			
Part Number Numéro Pièce		Rev.	13
5412ESQT603620THI-RS		0	16

This drawing is confidential and must not be reproduced or used without the consent of EXM

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT603620TH\5412ESQT603620TH.idw


Tolérance $\pm 1/32$ " sauf spécification contraire




TOP




FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: Patrick Deschenes

Date 23-Jan-07

Material
Matière

Polyisocyanurate

Color
Couleur

Aluminum

Finish
Fini

N/A

Description

5412ESQT 60" x 36" Cover Insulation

Detail Rev.

Part Number
Numéro Pièce

5412ESQT603620THI-C

Rev.

16

0

16

SEE BILL OF MATERIAL ON LAST PAGE

C:\Vault Workspace\Inventor Dwg\Inv-8\881SP\881SP6036G.idw

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


A large rectangular frame with a dashed border. At each of the four corners, there is a small circle. Additionally, at the midpoint of each of the four sides, there is a small circle. The frame is oriented vertically and occupies most of the page.

58.000
57.582

0.418
0.000

RIGHT

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness	
Aplatissement	

Max 3.0mm

Max 5.0mm
Projection



Customer Client	
--------------------	--

Date

Client	
Drawn By	BoxCad
Dessiné Par	

Date	23-Jan-07
------	-----------

Material	
Matière	

See Part List

Color	
Couleur	

See Part List

Finish	
Fin	S

See Part List

Description

881 SP - Inner Panel

Detail Rev.

	Part Number Numéro Pièce
--	-----------------------------

881 SP6036G

Rev.


0

2

1	881 SP6036G-P	0	881 SP - Inner Panel Part	12 Ga Galvanized	Unpainted	Galvanized
Qty	Part Number	Rev	Description	Material	Color	Finish
Parts List						

Parts List

No.	Revisions	Date	By/Par



		Flatness Aplatissement	
		Max 3.0mm Projection	
Customer Client		Date	
Drawn By Dessiné Par		Date 23-Jan-07	
Material Matière		See Part List	
Color Couleur		Finish Fini	
Description		Detail Rev.	
881 SP - Inner Panel		2	
Part Number Numéro Pièce		Rev.	
881 SP6036G		0	
		2	