


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSMCH140806\5412ESSMCH140806.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT




RIGHT




BOTTOM

GRAIN DIRECTION:
TOP/BOTTOM: HORIZONTAL
LEFT/RIGHT/BACK/FRONT: VERTICAL

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 11/24/2014	
Material Matière		16 Ga Stainless Steel 304 (1.4mm)	
Color Couleur		Unpainted	Finish Fini Brushed
Description 5412ESSMCH 14" x 8" x 6" Assembly			Detail Rev.
Part Number Numéro Pièce		Rev.	1 2
5412ESSMCH140806		0	

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSMCH140806\5412ESSMCH140806.idw


Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 4X Enclosure
2	C/W Standard ground standoffs on box and cover
3	W/O Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting standoffs
6	C/W 885 ESCHMF2 Mounting Feet (Kit)

No.	Revisions	Date	By/Par



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date
Drawn By Dessiné Par		Date
BoxCad: BoxCad		11/24/2014
Material Matière		16 Ga Stainless Steel 304 (1.4mm)


Color Couleur	Unpainted	Finish Fin	Brushed
------------------	-----------	---------------	---------

Description	5412ESSMCH 14" x 8" x 6" Assembly	Detail Rev.	

Part Number Numéro Pièce	Rev.	2
5412ESSMCH140806	0	2

PACKING		
ITEM	QTY	DESCRIPTION
STK-E-04321	1	CARTON 5412 ESCH140806
Plastic bag	1	To protect cover surface and inside gasket
Packaging label	1	White label with product number
STK-S-01100	1	ESCH EXM SQUARE STICKER

1	5412ESSMCH140806C	0	5412ESSMCH 14" x 8" Cover
1	880 SP1408G	0	880 SP1408G - Inner Panel
1	STK-K-02945	0	5412 ESSMCH Accessory Kit
1	5412ESSMCH140806B	0	5412ESSMCH 14" x 8" x 6" Body
2	STK-Q-08100	1	M5 Nylon Insert Lock Nut
Qty	Part Number	Rev	Description
Parts List			





This image shows a single sheet of white paper with horizontal blue ruling lines. There are four circular punch holes along the top edge, positioned at approximately one-quarter, one-half, three-quarters, and full width from the left. The paper appears to be part of a binder or folder.

14.000

0.000

0 76980 10000 0



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement Max 3.0mm Projection 		
	Customer Client	Date
Drawn By Dessiné Par	BoxCad: BoxCad	Date 11/24/2014
Material Matière		
16 Ga Stainless Steel 304 (1.4mm)		
Color Couleur	Unpainted	Finish Fini
		Brushed
Description		Detail Rev.
5412ESSMCH 14" x 8" x 6" Body		
Part Number Numéro Pièce		Rev.
5412ESSMCH140806B		0
		1 / 7

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSMCH140806\5412ESSMCH140806B5.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	4.625	0.875	STANDOFF M6 x 10mm (Inside)



	Description		Status	
	5412ESSMCH 14" x 8" x 6" Body		(NULL)	
	Part Number Numéro Pièce		Rev.	5 7
5412ESSMCH140806B		0		

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSMCH140806\5412ESSMCH140806B6.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	0.875	0.875	IP STANDOFF M6 x 10mm (Inside)
2	0.875	13.125	IP STANDOFF M6 x 10mm (Inside)
3	7.125	13.125	IP STANDOFF M6 x 10mm (Inside)
4	7.125	0.875	IP STANDOFF M6 x 10mm (Inside)
-----	-----	-----	-----
5	1.000	0.000	FOOT 885 ESCHMF2
6	7.000	14.000	FOOT 885 ESCHMF2
7	1.000	14.000	FOOT 885 ESCHMF2
8	7.000	0.000	FOOT 885 ESCHMF2




	Description		Status	
	5412ESSMCH 14" x 8" x 6" Body		(NULL)	
	Part Number Numéro Pièce		Rev.	6 / 7
	5412ESSMCH140806B		0	


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

No.	Revisions	Date	By/Par



Isometric View




 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com	Flatness Aplatissement — Max 3.0mm Projection 		
Customer Client	Date		
Drawn By Dessiné Par BoxCad: BoxCad	Date 11/24/2014		
Material Matière 16 Ga Stainless Steel 304 (1.4mm)			
Color Couleur Unpainted	Finish Fin Brushed		
Description 5412ESSMCH 14" x 8" x 6" Body	Detail Rev.		
Part Number Numéro Pièce 5412ESSMCH140806B	<table border="1" style="width: 100%;"> <tr> <td style="width: 50%;">Rev. 0</td> <td style="width: 50%;">7 7</td> </tr> </table>	Rev. 0	7 7
Rev. 0	7 7		

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSMCH140806\5412ESSMCH140806C.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK



BOTTOM



LEFT




FRONT



RIGHT

14.000

0.000



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 11/24/2014

Material
Matière

16 Ga Stainless Steel 304 (1.4mm)

Color
Couleur

Unpainted

Finish
Fini

Brushed

Description

5412ESSMCH 14" x 8" Cover

Detail Rev.

Part Number
Numéro Pièce

5412ESSMCH140806C

Rev.

1

0

3

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSMCH140806\5412ESSMCH140806C.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.145	1.125	STANDOFF M6 x 10mm (Inside)
2	2.750	12.000	LABEL_EXM
3	8.080	11.000	LOCK 880 SCQ3MS @ 0.0°
4	8.080	3.000	LOCK 880 SCQ3MS @ 0.0°



FRONT

	Description		Status	
	5412ESSMCH 14" x 8" Cover		(NULL)	
	Part Number Numéro Pièce		Rev.	2
	5412ESSMCH140806C		0	3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSMCH140806\5412ESSMCH140806C.idw


Tolérance ±1/32" sauf spécification contraire

No.

Revisions

Date

By/Par



Isometric View





Tél: (450) 979-4373

Fax: (450) 979-4626


www.exmweb.com

Flatness

Aplatissement

Max 3.0mm

Projection



Customer

Client

Date

Drawn By

Dessiné Par

BoxCad: BoxCad

Date

11/24/2014

Material

Matière

16 Ga Stainless Steel 304 (1.4mm)

Color

Couleur

Unpainted

Finish

Fini

Brushed

Description

5412ESSMCH 14" x 8" Cover

Detail Rev.

Part Number

Numéro Pièce

5412ESSMCH140806C


Rev.

3

0

3

1	5412ESSMCH140806G	0	5412ESSMCH 14" x 8" Gasket
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	STK-Q-08500	4	Stainless Steel Standoff M6 x 10mm
1	5412ESSMCH140806C-P	0	5412ESSMCH 14" x 8" Cover Part
2	STK-A-33038	3	5412 ESSMCH - Stainless Steel Hinge
2	880SCQ3S	4	5412 ESSMCH - Stainless Steel External Lock Assy - Slot Lock
Qty	Part Number	Rev	Description
Parts List			



This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\880SP\880SP1408G.idw

Tolérance ±1/32" sauf spécification contraire

No.

Revisions

Date

By/Par

Isometric View

Tél: (450) 979-4373

Fax: (450) 979-4626

www.exmweb.com

Flatness

Aplatissement

Max 3.0mm

Projection

Customer

Client

Date

Drawn By

Dessiné Par

BoxCad

Date

23-Jan-07

Material

Matière

14 Ga Galvanized (1.7mm)

Color

Couleur

Unpainted

Finish

Fini

Galvanized

Description

880 SP1408G - Inner Panel

Detail Rev.

Part Number

Numéro Pièce

880 SP1408G

Rev.

0

2

2

1

880 SP1408G-P

0

880 SP1408G - Inner Panel Part

Qty

Part Number

Rev

Description

Parts List

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM