

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500ESY603708\5500ESY603708.idw

Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 12/13 Enclosure
2	C/W Standard ground studs on box and cover
3	C/W Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting studs
6	C/W 880 PP included (Not installed)

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 24-Oct-14	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	

Color Couleur	Asa-61 Grey	Finish Fini	Smooth
------------------	-------------	----------------	--------

Description	Detail Rev.	
5500ESY 60" x 37.375" x 8" Assembly		

Part Number Numéro Pièce	Rev.	2
5500ESY603708	0	9

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

1	880 PP	6	Self Adhesive Print Pocket
1	STK-K-01800	5	5412 ES Accessory Kit
1	881 SP6036G	0	881 SP - Inner Panel
4	STK-K-01320	0	5412 ES Inner Panel Accessory Kit
1	5500ESY603708C	0	5500ESY 60" x 37.375" Cover
1	5500ESY603708B	0	5500ESY 60" x 37.375" x 8" Body
4	STK-Q-04050-08	0	M6 x 8mm Hexagon Socket Head Machine Screw
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Isometric View

SEE BILL OF MATERIAL ON LAST PAGE



0	$\frac{3}{9}$
---	---------------


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500ESY603708\5500ESY603708.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	6.500	2.000	GND STUD M6 x 16mm (Inside)



	Description 5500ESY 60" x 37.375" x 8" Body	Status (NULL)	
	Part Number Numéro Pièce 5500ESY603708B	Rev. 0	4 9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500ESY603708\5500ESY603708.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	3.000	1.875	IP STUD M8 x 35mm (Inside)
2	3.000	58.125	IP STUD M8 x 35mm (Inside)
3	35.250	58.125	IP STUD M8 x 35mm (Inside)
4	35.250	1.875	IP STUD M8 x 35mm (Inside)
5	3.000	30.000	IP STUD M8 x 35mm (Inside)
6	35.250	30.000	IP STUD M8 x 35mm (Inside)
7	19.125	1.875	IP STUD M8 x 35mm (Inside)
8	19.125	58.125	IP STUD M8 x 35mm (Inside)
-----	-----	-----	-----
9	36.625	0.750	RND Ø0.390
10	36.625	59.250	RND Ø0.390
11	0.750	59.250	RND Ø0.390
12	0.750	0.750	RND Ø0.390



	Description		Status	
	5500ESY 60" x 37.375" x 8" Body		(NULL)	
	Part Number Numéro Pièce 5500ESY603708B		Rev. 0	5 9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Isometric View

Flatness
Aplatissement

Max 3.0mm

Projection

Customer Client	Date	
Drawn By Dessiné Par	BoxCad: patsan	Date 24-Oct-14
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)		
Color Couleur	Asa-61 Grey	Finish Finis Smooth
Description 5500ESY 60" x 37.375" x 8" Body		Detail Rev.
Part Number Numéro Pièce 5500ESY603708B		Rev. 0 6 9

1	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
8	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	5500ESY603708B-P	0	5500ESY 60" x 37.375" x 8" Body Part
Qty	Part Number	Rev	Description
Parts List			


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500ESY603708\5500ESY603708.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM



LEFT




FRONT




RIGHT

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date	
Material Matière		24-Oct-14	
Color Couleur		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Finish Fin		Asa-61 Grey	
Description		Smooth	
Part Number Numéro Pièce		Detail Rev.	
5500ESY603708C		5500ESY 60" x 37.375" Cover	
Rev.		7	
0		9	

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500ESY603708\5500ESY603708.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.486	1.850	STUD M6 x 18mm (Inside)
2	1.486	57.953	STUD M6 x 18mm (Inside)
3	31.194	57.953	STUD M6 x 18mm (Inside)
4	31.194	1.850	STUD M6 x 18mm (Inside)
5	1.486	29.902	STUD M6 x 18mm (Inside)
6	31.194	29.902	STUD M6 x 18mm (Inside)
7	2.560	2.350	STUD M6 x 18mm (Inside)
8	2.560	58.228	STUD M6 x 18mm (Inside)
9	30.120	58.228	STUD M6 x 18mm (Inside)
10	30.120	2.350	STUD M6 x 18mm (Inside)
11	17.500	1.435	STUD M6 x 18mm (Inside)
12	34.082	50.902	STUD M6 x 18mm (Inside)
13	34.082	47.902	STUD M6 x 18mm (Inside)
14	34.082	44.902	STUD M6 x 18mm (Inside)
15	32.353	52.759	LARGE CBAR GUIDE (Inside)
16	33.209	54.837	LARGE CBAR GUIDE (Inside)
17	33.209	4.966	LARGE CBAR GUIDE (Inside)
18	33.219	28.652	STUD M6 x 18mm (Inside)
19	33.219	31.152	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
20	33.219	29.902	HANDLE 885 ESL2A @ 0.0°



	Description	Status	
	5500ESY 60" x 37.375" Cover	(NULL)	
	Part Number Numéro Pièce	Rev.	8
	5500ESY603708C	0	9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500ESY603708\5500ESY603708.idw

Tolérance ±1/32" sauf spécification contraire

No.

Revisions

Date

By/Par

Isometric View

2

STK-Q-90043

1

5500 ESY - Cabinet Closing Bar End (Small)

1

STK-Q-03200

0

M6 x 8mm Hexagon/Slot Screw

1

STK-Q-46710

0

5500 ESY Sheet Metal Disconnect Defeater

1

STK-Q-47535

2

5500 ESY 60" Disconnect Locking Bar

2

STK-Q-47575

0

5500 ESY 60" Locking Bar

1

STK-A-03888-32

2

Gearbox Clockwise Assembly for Disconnect (32.0mm)

1

885 ESL2A

4

5412 ES Key Lock L-Handle (3 Pts)

1

STK-P-02400S

0

Powder Paint (Asa-61 Grey / Smooth)

1

STK-Q-46515

3

5412 ES Door Support with Brass Insert

2

STK-Q-13060

1

M6 Flat Washer

1

STK-Q-46601

0

Disconnect L-angle (Right Side - Thick Base)

2

STK-Q-46026-37-3

3

5412 ESY Horizontal Door Stiffener 37.375"

2

STK-Q-46020-60

5

5412 ES Vertical Door Stiffener 60"

3

STK-Q-16410

0

Guide Stud - LargeI (No Paint Cap Required)

16

STK-Q-16055

1

M6 x 18mm Stud (No Paint Cap Required)

1

5500ESY603708G

0

5500ESY 60" x 37.375" Cover Gasket

1

5500ESY603708C-P

0

5500ESY 60" x 37.375" Cover Part

4

STK-K-09800

10

5412 ES Hinge with 2 Captive Hinge Pins

12

STK-Q-07220

1

M6 Nylon Insert Lock Nut

Qty

Part Name

Rev

Description

Parts List

exm

Tél: (450) 979-4373

Fax: (450) 979-4626

www.exmweb.com

Customer Client

Drawn By Dessiné Par

Material Matière

Color Couleur

Description

Part Number Numéro Pièce

BoxCad: patsan

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Asa-61 Grey

5500ESY 60" x 37.375" Cover

5500ESY603708C

Flatness Aplatissement

Max 3.0mm

Projection

Date

Date 24-Oct-14

Detail Rev.

Rev.

9

0

9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

C:\Vault Workspace\Inventor Dwg\Inv-8\881SP\881SP6036G.idw


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

A large rectangular frame with a dashed border. At each of the four corners and at the midpoint of each of the four sides, there is a small circle. The circles are positioned such that they appear to be part of the frame's structure, possibly representing rivets or fasteners. The frame is oriented vertically and occupies most of the page area.

58.000
57.582

RIGHT

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness	
Aplatissement	

Max 3.0mm

Max 3.0mm
Projection



Customer Client	Date
--------------------	------

Client	
Drawn By Dessiné Par	Date 23-Jan-07

Material	See Part List
Matière	

Color		Finish	
Couleur	See Part List	Fin	See Part List

Description	Detail Rev.
-------------	-------------

881 SP - Inner Panel

Part Number Numéro Pièce	Rev.	1 2
881 SP6036G	0	

1	881 SP6036G-P	0	881 SP - Inner Panel Part	12 Ga Galvanized	Unpainted	Galvanized
Qty	Part Number	Rev	Description	Material	Color	Finish
Parts List						

Parts List


This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\881SP\881SP6036G.idw

Tolérance ±1/32" sauf spécification contraire

Table 1			FRONT VIEW
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	17.000	0.875	MTG STUD HOLE (RND Ø0.500)
2	0.875	29.000	MTG STUD HOLE (RND Ø0.500)
3	33.125	29.000	MTG STUD HOLE (RND Ø0.500)
4	17.000	57.125	MTG STUD HOLE (RND Ø0.500)
5	0.875	1.875	GROUND HOLE (RND Ø0.290)
6	33.125	1.875	GROUND HOLE (RND Ø0.290)
7	0.875	56.125	GROUND HOLE (RND Ø0.290)
8	33.125	56.125	GROUND HOLE (RND Ø0.290)



No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad		Date 23-Jan-07	
Material Matière		See Part List	
Color Couleur		Finish Fini See Part List	
Description 881 SP - Inner Panel			Detail Rev.
Part Number Numéro Pièce 881 SP6036G		Rev. 0	2 2

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM