



This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT




RIGHT





BOTTOM

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 
Customer Client	Date	
Drawn By Dessiné Par	BoxCad: BoxCad	Date 3/18/2016
Material Matière	12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth
Description	Detail Rev.	
5500UFD 72" x 61" x 18" Assembly		
Part Number Numéro Pièce	Rev. 0	1 2
5500UFD726118		


SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

NOTE	
ITEM	DESCRIPTION
1	NEMA 12/13 Enclosure
2	C/W Standard ground studs on box and cover
3	C/W Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting studs
6	C/W Eyebolts
7	C/W Mounting feet sold separately (Installed)
8	C/W Struts installed (Included)
9	C/W Special handle sold separately (Kit)

No.	Revisions	Date	By/Par




PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

1	5500UFD726118MF	0	885 MFHD 15" x 18" Mounting Feet
1	880INT1	2	880 INT1 - Interlock Post Kit
1	5500UFD726118GP	0	5500UFD Gland Plate
1	880EB14	2	Eye Bolt M14 (Pack of 2)
8	STK-Q-07320	0	Flange Lock Nut M10
1	885SP7260G	0	885 SP7260G Inner Panel
6	STK-Q-07620	0	M10 Plastic Spacer 0.875"
1	5500UFD726118FD	0	5500UFD 72" x 61" Lock Door
1	5500UFD726118LD	0	5500UFD 72" x 61" Lock Door
1	5500UFD726118B	0	5500UFD 72" x 61" x 18" Body
8	STK-Q-04050-10	8	M6 x 10mm Hexagon Socket Head Machine Screw with Nyseal
Qty	Part Number	Rev	Description
Parts List			


	Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com	Flatness Aplatissement Max 3.0mm Projection
	Customer Client	Date
Drawn By Dessiné Par	BoxCad: BoxCad	Date 3/18/2016
Material Matière	12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth
Description	5500UFD 72" x 61" x 18" Assembly	
Part Number Numéro Pièce	5500UFD726118	Rev. 2 0

This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT




RIGHT






BOTTOM

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm Projection 
Customer Client		Date
Drawn By Dessiné Par	BoxCad: BoxCad	Date 3/18/2016
Material Matière	12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth
Description	5500UFD 72" x 61" x 18" Body	
Part Number Numéro Pièce	5500UFD726118B	Detail Rev. Rev. 1 0 2

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)

CUT-OUT	XDIM	YDIM	DESCRIPTION
1	45.911	13.911	Struts CR400 21.500" (Inside)
2	14.911	13.911	Struts CR400 21.500" (Inside)
3	45.911	13.911	STUDS M6 x 10mm (Inside)
4	38.161	13.911	STUDS M6 x 10mm (Inside)
5	53.661	13.911	STUDS M6 x 10mm (Inside)
6	14.911	13.911	STUDS M6 x 10mm (Inside)
7	7.161	13.911	STUDS M6 x 10mm (Inside)
8	22.661	13.911	STUDS M6 x 10mm (Inside)



	Description	Status	
	5500UFD 72" x 61" x 18" Body	Released	
	Part Number Numéro Pièce	Rev.	
	5500UFD726118B	0	2 / 7

This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)

CUT-OUT	XDIM	YDIM	DESCRIPTION
1	25.786	3.411	GP STUD M6 x 16mm (Inside)
2	35.036	3.411	GP STUD M6 x 16mm (Inside)

3	3.911	0.911	RND Ø0.500
4	0.911	2.911	RND Ø0.500
5	0.911	14.911	RND Ø0.500
6	3.911	16.911	RND Ø0.500
7	56.911	0.911	RND Ø0.500
8	59.911	2.911	RND Ø0.500
9	59.911	14.911	RND Ø0.500
10	56.911	16.911	RND Ø0.500




BOTTOM

	Description	Status
	5500UFD 72" x 61" x 18" Body	Released
	Part Number Numéro Pièce	Rev.
	5500UFD726118B	0
		4
		7

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	16.411	1.911	GND STUD M6 x 16mm (Inside)



	Description	Status	
	5500UFD 72" x 61" x 18" Body	Released	
	Part Number Numéro Pièce	Rev.	
	5500UFD726118B	0	5 / 7


This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)

CUT-OUT	XDIM	YDIM	DESCRIPTION
1	3.161	2.786	IP STUD M10 x 40mm (Inside)
2	57.411	2.786	IP STUD M10 x 40mm (Inside)
3	3.161	35.911	IP STUD M10 x 40mm (Inside)
4	57.411	35.911	IP STUD M10 x 40mm (Inside)
5	3.161	69.036	IP STUD M10 x 40mm (Inside)
6	57.411	69.036	IP STUD M10 x 40mm (Inside)
7	30.286	2.786	IP STUD M10 x 40mm (Inside)
8	30.286	69.036	IP STUD M10 x 40mm (Inside)




	Description	Status
	5500UFD 72" x 61" x 18" Body	Released
	Part Number Numéro Pièce	Rev.
	5500UFD726118B	0
		6
		7

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - CENTER VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	0.748	42.220	INTERLOCK STUD M6 x 16mm (Inside)
2	0.748	44.346	INTERLOCK STUD M6 x 16mm (Inside)
3	2.717	42.220	INTERLOCK STUD M6 x 16mm (Inside)
4	2.717	44.346	INTERLOCK STUD M6 x 16mm (Inside)
5	1.732	3.648	GND STUD M6 x 16mm (Inside)




	Description	Status	
	5500UFD 72" x 61" x 18" Body	Released	
	Part Number Numéro Pièce	Rev.	
	5500UFD726118B	0	6 7

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



6	STK-Q-16030	0	Stud M6 x 10mm
6	STK-Q-07220	1	M6 Nylon Insert Lock Nut
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
4	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	STK-A-75454	3	Center Post - Sealing Block with Latch Assembly (Large)
1	5500UFD726118CP-P	0	5500UFD 72" Center Post Part
2	STK-Q-07320	0	Flange Lock Nut M10
2	STK-Q-07618	1	5500 Series Inner Panel Support Bracket
8	STK-Q-16100	0	Stud M10 x 40mm
1	5500UFD726118BT-P	0	5500UFD 61" x 18" Bottom Part
1	5500UFD726118T-P	0	5500UFD 61" x 18" Top Part
1	5500UFD726118RS-P	0	5500UFD 72" x 61" Right Part
1	5500UFD726118LS-P	0	5500UFD 72" x 61" Left Part
1	5500UFD726118B-P	0	5500UFD 72" x 61" Back Part
2	CR400MS_21.5	0	Commercial Roll Mild Steel (21.5in long)
4	STK-Q-16080	0	Ground Stud M6 x 16mm
Qty	Part Number	Rev	Description
Parts List			


Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com	Flatness Aplatissement	Max 3.0mm
	Projection	
Customer Client	Date	
Drawn By Dessiné Par	BoxCad: BoxCad	Date 3/18/2016
Material Matière	12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth
Description	Detail Rev.	
5500UFD 72" x 61" x 18" Body		
Part Number Numéro Pièce	Rev. 0	2
5500UFD726118B		2

This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
 Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By / Dessiné Par: BoxCad: BoxCad	Date: 3/18/2016

Material / Matière: 12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Color / Couleur: Asa-61 Grey Finish / Fini: Smooth

Description: 885 MFHD 15" x 18" Mounting Feet Detail Rev.


Part Number / Numéro Pièce: 5500UFD726118MF	Rev. 0	1 / 4
----------------------------------------------------	---------------	-------



SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 
Customer Client	Date	
Drawn By Dessiné Par	BoxCad: BoxCad	Date 3/18/2016
Material Matière	12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth
Description		Detail Rev.
885 MFHD 15" x 18" Mounting Feet		
Part Number Numéro Pièce	Rev.	4
5500UFD726118MF	0	4


Qty	Part Name	Rev	Description
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
8	RIVET_NUT_M10_FH_CE	0	Rivet Nut M10 (Low Profile Close End)
1	5500UFD726118MFR-P	0	885 MFHD 15" x 18" Right Mounting Feet Part
1	5500UFD726118MFL-P	0	885 MFHD 15" x 18" Left Mounting Feet Part
1	STK-K-11600	2	885 MF Accessory Kit
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT



FRONT





RIGHT



Isometric View



No.	Revisions	Date	By/Par

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 
Customer Client	Date	
Drawn By Dessiné Par	BoxCad: BoxCad	Date 3/18/2016
Material Matière	12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth
Description	Detail Rev.	
5500UFD 72" x 61" Lock Door		
Part Number Numéro Pièce	Rev. 0	1 3
5500UFD726118LD		


SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.375	2.028	STUD M6 x 18mm (Inside)
2	2.375	35.580	STUD M6 x 18mm (Inside)
3	2.375	69.521	STUD M6 x 18mm (Inside)
4	2.375	3.139	STUD M6 x 18mm (Inside)
5	2.375	68.409	STUD M6 x 18mm (Inside)
6	23.544	2.028	STUD M6 x 18mm (Inside)
7	23.544	35.580	STUD M6 x 18mm (Inside)
8	23.544	69.521	STUD M6 x 18mm (Inside)
9	23.544	3.139	STUD M6 x 18mm (Inside)
10	23.544	68.409	STUD M6 x 18mm (Inside)
11	26.544	6.118	STUD M6 x 18mm (Inside)
12	26.544	65.430	STUD M6 x 18mm (Inside)
13	25.357	65.430	STUD M6 x 18mm (Inside)
14	26.544	56.525	STUD M6 x 18mm (Inside)
15	25.357	56.525	STUD M6 x 18mm (Inside)

16	26.544	37.743	HANDLE 885 ESL2A-APHD @ 0.0°
17	1.625	43.445	STUDS M6 x 18mm (Inside)
18	1.625	46.123	STUDS M6 x 18mm (Inside)




FRONT

	Description		Status	
	5500UFD 72" x 61" Lock Door		(NULL)	
	Part Number Numéro Pièce 5500UFD726118LD		Rev.	2
		0		


This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par







1	5500UFD726118DB_ESY	0	5500UFD 72" Disconnect Defeater Bar
1	5500UFD726118CB	0	5500UFD 72" Closing Bar
1	5500UFD726118CB_ESY	0	5500UFD 72" Disconnect Closing Bar
1	STK-K-03895-36	3	Gearbox Clockwise Assembly (Grip 36mm)
1	885ESL2A-APHD	0	885 ESL2A-APHD - Zinc Die Cast L-Handle Padlockable Assy - Slot Cylinder
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	STK-Q-07220	1	M6 Nylon Insert Lock Nut
1	STK-Q-13060	1	M6 Flat Washer
1	5500UFD726118LDG	0	5500UFD 72" x 61" Lock Door Gasket
1	STK-Q-46600	3	5500 ESY Disconnect Door Hook
1	5500UFD726118DS1	0	5500UFD 72" x 61" Door Stiffener
1	5500UFD726118LD-P	0	5500UFD 72" x 61" Lock Door Part
4	STK-K-09860	7	Cabinet Hinge with Captive Pins
17	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
Qty	Part Name	Rev	Description
Parts List			

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement
		Max 3.0mm
Customer Client		Date
Drawn By Dessiné Par	BoxCad: BoxCad	Date 3/18/2016
Material Matière	12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth
Description		Detail Rev.
5500UFD 72" x 61" Lock Door		
Part Number Numéro Pièce	Rev.	3
5500UFD726118LD	0	3

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



No.	Revisions	Date	By/Par

Isometric View

<p>Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com</p>		Flatness Aplatissement	
		Max 3.0mm	
Customer Client		Projection	
Date			
Drawn By Dessiné Par	BoxCad: BoxCad	Date	3/18/2016
Material Matière	12 Ga Cold Rolled A1008 CS Type B (2.5mm)		
Color Couleur	Asa-61 Grey	Finish Fini	Smooth
Description		Detail Rev.	
5500UFD 72" x 61" Lock Door			
Part Number Numéro Pièce		Rev.	1
5500UFD726118FD		0	3

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)

CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.375	2.028	STUD M6 x 18mm (Inside)
2	2.375	35.581	STUD M6 x 18mm (Inside)
3	2.375	69.521	STUD M6 x 18mm (Inside)
4	2.375	3.139	STUD M6 x 18mm (Inside)
5	2.375	68.409	STUD M6 x 18mm (Inside)
6	23.544	2.028	STUD M6 x 18mm (Inside)
7	23.544	35.581	STUD M6 x 18mm (Inside)
8	23.544	69.521	STUD M6 x 18mm (Inside)
9	23.544	3.139	STUD M6 x 18mm (Inside)
10	23.544	68.409	STUD M6 x 18mm (Inside)
11	26.419	6.118	CLOSING BAR GUIDE (Inside)
12	26.419	65.430	CLOSING BAR GUIDE (Inside)
-----	-----	-----	-----
13	26.419	37.743	HANDLE 885 ESL2A-APHD @ 0.0°
14	27.347	43.445	STUDS M6 x 18mm (Inside)
15	27.347	46.123	STUDS M6 x 18mm (Inside)




FRONT


	Description	Status
	5500UFD 72" x 61" Lock Door	(NULL)
	Part Number Numéro Pièce	Rev.
	5500UFD726118FD	0
		2
		3

This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP




FRONT



RIGHT

No.	Revisions	Date	By/Par



Isometric View



Tél: (450) 979-4373
 Fax: (450) 979-4626
 www.exmweb.com

Flatness
 Aplatissement
 Max 3.0mm
 Projection

Customer Client	Date
Drawn By / Dessiné Par: BoxCad	Date: 04/11/2009

Material / Matière: 12 Ga Galvanized (2.5mm)

Color / Couleur: Unpainted	Finish / Fini: Unpainted
----------------------------	--------------------------

Description: 885 SP7260G Inner Panel	Detail Rev.
--------------------------------------	-------------


Part Number / Numéro Pièce: 885SP7260G	Rev. 1	2
	0	

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad		Date 04/11/2009	
Material Matière 12 Ga Galvanized (2.5mm)			
Color Couleur Unpainted		Finish Fini Unpainted	
Description 885 SP7260G Inner Panel			Detail Rev.
Part Number Numéro Pièce 885SP7260G		Rev.	2 <hr/> 2

Qty	Part Number	Rev	Description
1	885SP7260G-P	0	885 SP7260G Inner Panel Part
Parts List			