


This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500722430\9500722430.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK



BOTTOM




LEFT




FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection

Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 11-Sep-14
Material Matière 12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur Asa-61 Grey	Finish Fini Smooth
Description 9500 72" x 24" x 30" Assembly	
Detail Rev.	
Part Number Numéro Pièce 9500722430	Rev. 0

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500722430\9500722430.idw

NOTE

ITEM	DESCRIPTION
1	NEMA 12, 13 Enclosure (IP55)
2	C/W Standard ground studs on box and cover
3	C/W Standard door stiffener
4	W/O Inner panel
5	C/W Standard inner panel mounting struts
6	C/W Eyebolts sold separately (Installed by EXM)
7	C/W Struts installed (Included)

PACKING			
ITEM	QTY	DESCRIPTION	
Cardboard sleeve	2	Top and Bottom	
Cardboard strip	2	Between back of enclosure and inner panel	
Plastic bag	1	To protect cover surface and inside gasket	
Cardboard corner	4	To reinforced for the plastic strap tightening	
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together	
Packaging label	3	White label with PN	
Plastic strap- Green	2	To secure the enclosure to the wood pallet	
Wood Pallet	1	2" deeper and 3" larger than enclosure size	

No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement  Max 3.0mm Projection  Customer Client Date Drawn By Dessiné Par BoxCad: BoxCad Date 11-Sep-14 Material Matière 12 Ga Cold Rolled A1008 CS Type B (2.5mm) Color Couleur Asa-61 Grey Finish Finis Smooth Description 9500 72" x 24" x 30" Assembly Detail Rev. Part Number Numéro Pièce 9500722430 Rev. 0 2 12			

Qty	Part Number	Rev	Description
1	9500722430GP	0	9500 Gland Plate
1	889BPS	0	Inner Panel Strut Mounting Kit
1	9500722430C	0	9500 72" x 24" Cover
1	9500722430B	0	9500 72" x 24" x 30" Body
2	880EB14	2	Eye Bolt M14 (Pack of 2)
4	STK-Q-04050-10	8	M6 x 10mm Hexagon Socket Head Machine Screw with Nyseal
Parts List			


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500722430\9500722430.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK




BOTTOM




LEFT



FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 11-Sep-14

Material
Matière

12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

9500 72" x 24" x 30" Body

Detail Rev.

Part Number
Numéro Pièce


9500722430B

Rev.

3


12

SEE BILL OF MATERIAL ON LAST PAGE



This drawing is confidential and must not be reproduced or used without the consent of EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - RIGHT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	9.036	66.107	STUDS M6 x 10mm (Inside)
2	20.786	66.107	STUDS M6 x 10mm (Inside)
3	9.036	7.857	STUDS M6 x 10mm (Inside)
4	20.786	7.857	STUDS M6 x 10mm (Inside)
5	9.036	36.982	STUDS M6 x 10mm (Inside)
6	20.786	36.982	STUDS M6 x 10mm (Inside)




	Description 9500 72" x 24" x 30" Body	Status (NULL)	
	Part Number Numéro Pièce 9500722430B	Rev. 0	5 12

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	7.286	3.411	GP STUD M6 x 16mm (Inside)
2	16.536	3.411	GP STUD M6 x 16mm (Inside)



	Description 9500 72" x 24" x 30" Body	Status (NULL)	
	Part Number Numéro Pièce 9500722430B	Rev. 0	6 12


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500722430\9500722430.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	28.411	11.286	GND STUD M6 x 16mm (Inside)
2	9.036	66.107	STUDS M6 x 10mm (Inside)
3	20.786	66.107	STUDS M6 x 10mm (Inside)
4	9.036	7.857	STUDS M6 x 10mm (Inside)
5	20.786	7.857	STUDS M6 x 10mm (Inside)
6	9.036	36.982	STUDS M6 x 10mm (Inside)
7	20.786	36.982	STUDS M6 x 10mm (Inside)



	Description 9500 72" x 24" x 30" Body	Status (NULL)	
	Part Number Numéro Pièce 9500722430B	Rev. 0	7 12





Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500722430\9500722430.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par
 Isometric View			
		Flatness Aplatissement  Max 3.0mm	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 11-Sep-14	
BoxCad: BoxCad			
Material Matière		12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur		Asa-61 Grey	
Finish Fin		Smooth	
Description 9500 72" x 24" x 30" Body			Detail Rev.
Part Number Numéro Pièce 9500722430B			Rev. 0
			8 12

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

14	STK-Q-16030	0	Stud M6 x 10mm Steel
1	CR400MS_17.5	0	Commercial Roll Mild Steel (17.5in long)
2	STK-Q-74940	0	Eyebolt Lifting Angle (26.000")
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	STK-Q-52200-30	2	Sasco Strut S5 (27.500" Long)
5	STK-Q-52250-30	2	Sasco Strut S5 (29.500" Long)
1	9500722430BT-P	0	9500 24" x 30" Bottom Part
1	9500722430T-P	0	9500 24" x 30" Top Part
1	9500722430RS-P	0	9500 72" x 24" Right Part
1	9500722430LS-P	0	9500 72" x 24" Left Part
1	9500722430B-P	0	9500 72" x 24" Back Part
3	STK-Q-16080	0	Ground Stud M6 x 16mm Steel
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500722430\9500722430.idw


Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP

0.000
0.835



LEFT


0.000



FRONT

23.312

65.549




RIGHT


0.000



BOTTOM



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 11-Sep-14

Material
Matière

12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

9500 72" x 24" Cover

Detail Rev.

Part Number
Numéro Pièce

9500722430C

Rev.

9

0

12

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500722430\9500722430.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.685	2.028	STUD M6 x 18mm (Inside)
2	1.685	32.628	STUD M6 x 18mm (Inside)
3	1.685	63.521	STUD M6 x 18mm (Inside)
4	19.092	2.028	STUD M6 x 18mm (Inside)
5	19.092	32.628	STUD M6 x 18mm (Inside)
6	19.092	63.521	STUD M6 x 18mm (Inside)
7	1.685	3.139	STUD M6 x 18mm (Inside)
8	1.685	62.409	STUD M6 x 18mm (Inside)
9	19.092	3.139	STUD M6 x 18mm (Inside)
10	19.092	62.409	STUD M6 x 18mm (Inside)
11	20.858	6.118	LARGE CBAR GUIDE (Inside)
12	20.858	59.430	LARGE CBAR GUIDE (Inside)
-----	-----	-----	-----
13	20.858	34.743	HANDLE 885 ESL2A-APHK @ 0.0°



	Description	Status	
	9500 72" x 24" Cover	(NULL)	
	Part Number Numéro Pièce	Rev.	10
	9500722430C	0	12





Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500722430\9500722430.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com			Flatness Aplatissement  Max 3.0mm Projection 
Customer Client			Date
Drawn By Dessiné Par BoxCad: BoxCad			Date 11-Sep-14
Material Matière 12 Ga Cold Rolled A1008 CS Type B (2.5mm)			
Color Couleur Asa-61 Grey		Finish Finis Smooth	
Description 9500 72" x 24" Cover			Detail Rev.
Part Number Numéro Pièce 9500722430C			Rev. 11 012

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

1	STK-Q-47562	0	9500 Lower Closing Bar 72" (cam)
1	STK-Q-47552	0	9500 Upper Closing Bar 72" (cam)
1	STK-A-50538	3	9500 Handle Cam Assembly (Right Side, Grip 36mm)
1	STK-Q-90051	3	5412 ES - Handle Cam Spacer
1	885ESL2A-APHK	6	885 ESL2A-APHK - Zinc Die Cast L-Handle Padlockable Assy
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	STK-K-10830	3	9500 - Door Stiffener Assembly
2	STK-Q-16410	0	Guide Stud - Largel (No Paint Cap Required)
10	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	9500722430G	0	9500 72" x 24" Cover Gasket
1	9500722430C-P	0	9500 72" x 24" Cover Part
2	STK-A-90025	0	9500 - Cabinet Closing Bar End (Large)
4	STK-K-09860	7	Cabinet Hinge with Captive Pins
2	STK-Q-07220	1	M6 Nylon Insert Lock Nut
QTY	Part Number	Rev	Description
Parts List			



This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified
All knockouts are actual size / Les disques défonçables sont grandeur réel
All dimensions are before paint / Toutes les dimensions sont avant peinture


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500722430\9500722430.idw

Tolérance $\pm 1/32$ " sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par BoxCad		Date 11-Aug-05	
Material Matière 12 Ga Cold Rolled A1008 CS Type B (2.5mm)			
Color Couleur Asa-61 Grey		Finish Fini Smooth	
Description 9500 72" x 24" x 30" Assembly		Detail Rev.	
Part Number Numéro Pièce 9500 Welding Details		Rev. 0	12 12