


This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500ST723630\9500ST723630.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 12/9/2021

Material
Matière

12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

9500 72" x 36" x 30" Assembly

Detail Rev.

Part Number
Numéro Pièce

9500ST723630

Rev.

1

0

2

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500ST723630\9500ST723630.idw

Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 12/13 Enclosure
2	C/W Standard ground studs on box and cover
3	C/W Standard door stiffener
4	W/O Inner panel
5	C/W Standard inner panel mounting studs
6	C/W Eyebolts
7	C/W Struts installed (Included)


No.	Revisions	Date	By/Par



Isometric View

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

1	9500ST723630GP	0	9500 Gland Plate
1	9500ST723630C	0	9500 72" x 36" Cover
1	9500ST723630B	0	9500 72" x 36" x 30" Body
2	880EB14	2	Eye Bolt M14 (Pack of 2)
4	STK-Q-04050-10	8	M6 x 10mm Hexagon Socket Head Machine Screw with Nyseal
Qty	Part Number	Rev	Description
Parts List			

		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 	
Customer Client				Date	
Drawn By Dessiné Par BoxCad: BoxCad				Date 12/9/2021	
Material Matière 12 Ga Cold Rolled A1008 CS Type B (2.5mm)					
Color Couleur Asa-61 Grey			Finish Fin Smooth		
Description 9500 72" x 36" x 30" Assembly				Detail Rev.	
Part Number Numéro Pièce 9500ST723630				Rev. 0	2 2


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

A diagram of a rectangular box. At each of the four corners (top-left, top-right, bottom-left, and bottom-right), there is a small square. Above the top edge of the box, there is a horizontal double-headed arrow spanning the width of the box.

A blank coordinate grid with a vertical axis labeled from 0.000 to 30.000 in increments of 5.000. The grid is 30 units wide and 30 units high.


72.000

0.000



Max 3.0mm

Max 5.0mm
Projection



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Date _____

BoxCad: BoxCad

Date 12/9/2021

12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Asa-61 Grey

smooth

Detail Rev.

9500 72" x 36" x 30" Body

Rev.

9500ST723630B

1	
---	--

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\9500ST723630\9500ST723630B2.idw


Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	17.911	25.911	Struts CR400 27.500" (Inside)
2	17.911	25.911	STUDS M6 x 10mm (Inside)
3	7.161	25.911	STUDS M6 x 10mm (Inside)
4	28.661	25.911	STUDS M6 x 10mm (Inside)



	Description 9500 72" x 36" x 30" Body		Status Released	
	Part Number Numéro Pièce 9500ST723630B		Rev. 0	2 / 7


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Diagram illustrating a rectangular structure with dimensions and labels:

- Left side: Labeled "LEFT".
- Bottom-left corner: Marked with a circle containing a cross, labeled "0.000".
- Bottom-right corner: Labeled "1".
- Top-right corner: Labeled "29.911".
- Top-left corner: Labeled "0.000".
- Right side: Labeled "1".
- Vertical dimension on the left: Labeled "71.822".



	Description		Status	
	9500 72" x 36" x 30" Body		Released	
	Part Number Numéro Pièce		Rev.	
	9500ST723630B		0	5 7


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500ST723630\9500ST723630B6.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.786	8.786	IP STUD M10 x 40mm (Inside)
2	33.036	8.786	IP STUD M10 x 40mm (Inside)
3	2.786	37.911	IP STUD M10 x 40mm (Inside)
4	33.036	37.911	IP STUD M10 x 40mm (Inside)
5	2.786	67.036	IP STUD M10 x 40mm (Inside)
6	33.036	67.036	IP STUD M10 x 40mm (Inside)
-----	-----	-----	-----
7	30.036	7.411	IP SUPPORT ANGLE (Inside)
8	5.786	7.411	IP SUPPORT ANGLE (Inside)




	Description 9500 72" x 36" x 30" Body		Status Released	
	Part Number Numéro Pièce 9500ST723630B		Rev. 0	6 7


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 12/9/2021	
Material Matière 12 Ga Cold Rolled A1008 CS Type B (2.5mm)			
Color Couleur Asa-61 Grey		Finish Fini Smooth	
Description			Detail Rev.
9500 72" x 36" x 30" Body			
Part Number Numéro Pièce 9500ST723630B		Rev. 0	2 2

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500ST723630\9500ST723630C.idw

Tolérance ±1/32" sauf spécification contraire



TOP




BACK




BOTTOM

0.000
0.835




LEFT

0.000



FRONT


35.312




RIGHT

65.549

0.000



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 12/9/2021

Material
Matière

12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

9500 72" x 36" Cover

Detail Rev.

Part Number
Numéro Pièce

9500ST723630C

Rev.

1

0

3

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500ST723630\9500ST723630C.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.000	2.028	STUD M6 x 18mm (Inside)
2	2.000	32.628	STUD M6 x 18mm (Inside)
3	2.000	63.521	STUD M6 x 18mm (Inside)
4	31.407	2.028	STUD M6 x 18mm (Inside)
5	31.407	32.628	STUD M6 x 18mm (Inside)
6	31.407	63.521	STUD M6 x 18mm (Inside)
7	2.000	3.139	STUD M6 x 18mm (Inside)
8	2.000	62.409	STUD M6 x 18mm (Inside)
9	31.407	3.139	STUD M6 x 18mm (Inside)
10	31.407	62.409	STUD M6 x 18mm (Inside)
11	32.937	6.118	STUD M6 x 18mm (Inside)
12	32.937	59.430	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
13	32.937	34.743	HANDLE 885 ESL2A-APHK @ 0.0°



	Description		Status	
	9500 72" x 36" Cover		(NULL)	
	Part Number Numéro Pièce		Rev.	2
	9500ST723630C		0	3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500ST723630\9500ST723630C.idw


Tolérance ±1/32" sauf spécification contraire

No.


Revisions

Date

By/Par




Isometric View






Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

12/9/2021

Material
Matière

12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

9500 72" x 36" Cover

Detail Rev.

Part Number
Numéro Pièce

9500ST723630C

Rev.

3

3

1	STK-Q-47527	1	9500 Lower Closing Bar 72"
1	STK-Q-47517	1	9500 Upper Closing Bar 72"
1	STK-A-03886-36	2	Gearbox Clockwise Assembly (36.0mm)
1	885ESL2A-APHK	6	885 ESL2A-APHK - Zinc Die Cast L-Handle Padlockable Assy
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	9500ST723630G	0	9500 72" x 36" Cover Gasket
1	STK-K-10850	3	9500 - Door Stiffener Assembly
2	STK-Q-16410	0	Guide Stud - Largel (No Paint Cap Required)
10	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	9500ST723630C-P	0	9500 72" x 36" Cover Part
4	STK-K-09860	7	Cabinet Hinge with Captive Pins
2	STK-A-90025	0	9500 - Cabinet Closing Bar End (Large)
Qty	Part Name	Rev	Description
Parts List			