



This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM



LEFT




FRONT



RIGHT



0.000



Isometric View



| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| | | |
|--|---|---|
|  Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com | | Flatness Aplatissement Max 3.0mm Projection  |
| Customer Client | Date | |
| Drawn By Dessiné Par | BoxCad: BoxCad | Date 09-Dec-21 |
| Material Matière | 12 Ga Cold Rolled A1008 CS Type B (2.5mm) | |
| Color Couleur | Asa-61 Grey | Finish Finis Smooth |
| Description | Detail Rev. | |
| 9500 90" x 24" x 20" Assembly | | |
| Part Number Numéro Pièce | Rev. | 1 |
| 9500ST902420 | 0 | 2 |


SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



| NOTE | |
|------|--|
| ITEM | DESCRIPTION |
| 1 | NEMA 12/13 Enclosure |
| 2 | C/W Standard ground studs on box and cover |
| 3 | C/W Standard door stiffener |
| 4 | W/O Inner panel |
| 5 | C/W Standard inner panel mounting studs |
| 6 | C/W Eyebolts |
| 7 | C/W Struts installed (Included) |

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |




| PACKING | | |
|-----------------------|-----|--|
| ITEM | QTY | DESCRIPTION |
| Cardboard sleeve | 2 | Top and Bottom |
| Cardboard strip | 2 | Between back of enclosure and inner panel |
| Plastic bag | 1 | To protect cover surface and inside gasket |
| Cardboard corner | 4 | To reinforced for the plastic strap tightening |
| Plastic strap - Black | 2 | To Squeeze 2 cardboard sleeve together |
| Packaging label | 3 | White label with PN |
| Plastic strap- Green | 2 | To secure the enclosure to the wood pallet |
| Wood Pallet | 1 | 2" deeper and 3" larger than enclosure size |

| Qty | Part Number | Rev | Description |
|------------|----------------|-----|---|
| 1 | 9500ST902420GP | 0 | 9500 Gland Plate |
| 1 | 880EB14 | 2 | Eye Bolt M14 (Pack of 2) |
| 1 | 9500ST902420C | 0 | 9500 90" x 24" Cover |
| 1 | 9500ST902420B | 0 | 9500 90" x 24" x 20" Body |
| 5 | STK-Q-04050-10 | 8 | M6 x 10mm Hexagon Socket Head Machine Screw with Nyseal |
| Parts List | | | |


| | | |
|--|---|---|
|  Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com | | Flatness Aplatissement Max 3.0mm Projection  |
| Customer Client | Date | |
| Drawn By Dessiné Par | BoxCad: BoxCad | Date 09-Dec-21 |
| Material Matière | 12 Ga Cold Rolled A1008 CS Type B (2.5mm) | |
| Color Couleur | Asa-61 Grey | Finish Fini Smooth |
| Description | 9500 90" x 24" x 20" Assembly | |
| Part Number Numéro Pièce | 9500ST902420 | Rev. 2 |
| | | 0 |

This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT



FRONT






RIGHT



Isometric View



| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| | | |
|--|---|---|
|  Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com | | Flatness Aplatissement  Max 3.0mm Projection  |
| Customer Client | Date | |
| Drawn By Dessiné Par | BoxCad: BoxCad | Date 09-Dec-21 |
| Material Matière | 12 Ga Cold Rolled A1008 CS Type B (2.5mm) | |
| Color Couleur | Asa-61 Grey | Finish Fin Smooth |
| Description | Detail Rev. | |
| 9500 90" x 24" x 20" Body | | |
| Part Number Numéro Pièce | Rev. 0 | 1 2 |
| 9500ST902420B | | |

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)

| CUT-OUT | XDIM | YDIM | DESCRIPTION |
|---------|--------|--------|-------------------------------|
| 1 | 11.911 | 15.911 | Struts CR400 17.500" (Inside) |
| 2 | 11.911 | 15.911 | STUDS M6 x 10mm (Inside) |
| 3 | 6.161 | 15.911 | STUDS M6 x 10mm (Inside) |
| 4 | 17.661 | 15.911 | STUDS M6 x 10mm (Inside) |




| | | | |
|--|-----------------------------|----------|-------|
| | Description | Status | |
| | 9500 90" x 24" x 20" Body | Released | |
| | Part Number Numéro Pièce | Rev. | |
| | 9500ST902420B | 0 | 2 / 7 |

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE | | | |
|---|--------|-------|----------------------------|
| HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY) | | | |
| CUT-OUT | XDIM | YDIM | DESCRIPTION |
| 1 | 7.286 | 3.411 | GP STUD M6 x 16mm (Inside) |
| 2 | 16.536 | 3.411 | GP STUD M6 x 16mm (Inside) |




| | | |
|--|-----------------------------|----------|
| | Description | Status |
| | 9500 90" x 24" x 20" Body | Released |
| | Part Number Numéro Pièce | Rev. |
| | 9500ST902420B | 0 |
| | | 4 / 7 |

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE | | | |
|---|--------|-------|-----------------------------|
| HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY) | | | |
| CUT-OUT | XDIM | YDIM | DESCRIPTION |
| 1 | 18.411 | 9.286 | GND STUD M6 x 16mm (Inside) |



| | | | |
|--|-----------------------------|----------|---|
| | Description | Status | |
| | 9500 90" x 24" x 20" Body | Released | |
| | Part Number Numéro Pièce | Rev. | 5 |
| | 9500ST902420B | 0 | 7 |


This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)

| CUT-OUT | XDIM | YDIM | DESCRIPTION |
|---------|--------|--------|-----------------------------|
| 1 | 2.786 | 8.786 | IP STUD M10 x 40mm (Inside) |
| 2 | 21.036 | 8.786 | IP STUD M10 x 40mm (Inside) |
| 3 | 2.786 | 46.911 | IP STUD M10 x 40mm (Inside) |
| 4 | 21.036 | 46.911 | IP STUD M10 x 40mm (Inside) |
| 5 | 2.786 | 85.036 | IP STUD M10 x 40mm (Inside) |
| 6 | 21.036 | 85.036 | IP STUD M10 x 40mm (Inside) |
| ----- | ----- | ----- | ----- |
| 7 | 18.036 | 7.411 | IP SUPPORT ANGLE (Inside) |
| 8 | 5.786 | 7.411 | IP SUPPORT ANGLE (Inside) |




| | | |
|--|-----------------------------|----------|
| | Description | Status |
| | 9500 90" x 24" x 20" Body | Released |
| | Part Number Numéro Pièce | Rev. |
| | 9500ST902420B | 0 |
| | | 6 |
| | | 7 |



This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |




| 3 | STK-Q-16030 | 0 | Stud M6 x 10mm |
|------------|-------------------|-----|--|
| 3 | STK-Q-07220 | 1 | M6 Nylon Insert Lock Nut |
| 1 | CR400MS_17.5 | 0 | Commercial Roll Mild Steel (17.5in long) |
| 2 | 9500ST902420BPA-P | 0 | 9500 Inner Panel Support Angle |
| 1 | STK-P-02400S | 0 | Powder Paint (Asa-61 Grey / Smooth) |
| 6 | STK-Q-16100 | 0 | Stud M10 x 40mm |
| 1 | 9500ST902420BT-P | 0 | 9500 24" x 20" Bottom Part |
| 1 | 9500ST902420T-P | 0 | 9500 24" x 20" Top Part |
| 1 | 9500ST902420RS-P | 0 | 9500 90" x 24" Right Part |
| 1 | 9500ST902420LS-P | 0 | 9500 90" x 24" Left Part |
| 1 | 9500ST902420B-P | 0 | 9500 90" x 24" Back Part |
| 3 | STK-Q-16080 | 0 | Ground Stud M6 x 16mm |
| Qty | Part Number | Rev | Description |
| Parts List | | | |


| | | |
|--|---|---|
|  Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com | Flatness Aplatissement | Max 3.0mm |
| | Projection |  |
| Customer Client | Date | |
| Drawn By Dessiné Par | BoxCad: BoxCad | Date 09-Dec-21 |
| Material Matière | 12 Ga Cold Rolled A1008 CS Type B (2.5mm) | |
| Color Couleur | Asa-61 Grey | Finish Fini Smooth |
| Description | 9500 90" x 24" x 20" Body | |
| Part Number Numéro Pièce | Rev. 0 | 2 |
| 9500ST902420B | | 2 |

This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT



FRONT





RIGHT



Isometric View



| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| | | |
|--|---|---|
|  Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com | | Flatness Aplatissement Max 3.0mm Projection  |
| Customer Client | Date | Date |
| Drawn By Dessiné Par | BoxCad: BoxCad | Date 09-Dec-21 |
| Material Matière | 12 Ga Cold Rolled A1008 CS Type B (2.5mm) | |
| Color Couleur | Asa-61 Grey | Finish Fini Smooth |
| Description | 9500 90" x 24" Cover | |
| Part Number Numéro Pièce | Rev. 0 | 1 / 3 |

SEE BILL OF MATERIAL ON LAST PAGE

9500ST902420C


This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)

| CUT-OUT | XDIM | YDIM | DESCRIPTION |
|---------|--------|--------|------------------------------|
| 1 | 2.000 | 2.028 | STUD M6 x 18mm (Inside) |
| 2 | 2.000 | 41.486 | STUD M6 x 18mm (Inside) |
| 3 | 2.000 | 81.521 | STUD M6 x 18mm (Inside) |
| 4 | 19.407 | 2.028 | STUD M6 x 18mm (Inside) |
| 5 | 19.407 | 41.486 | STUD M6 x 18mm (Inside) |
| 6 | 19.407 | 81.521 | STUD M6 x 18mm (Inside) |
| 7 | 2.000 | 3.139 | STUD M6 x 18mm (Inside) |
| 8 | 2.000 | 80.409 | STUD M6 x 18mm (Inside) |
| 9 | 19.407 | 3.139 | STUD M6 x 18mm (Inside) |
| 10 | 19.407 | 80.409 | STUD M6 x 18mm (Inside) |
| 11 | 20.937 | 6.118 | STUD M6 x 18mm (Inside) |
| 12 | 20.937 | 77.430 | STUD M6 x 18mm (Inside) |
| ----- | ----- | ----- | ----- |
| 13 | 20.937 | 43.743 | HANDLE 885 ESL2A-APHK @ 0.0° |



| | | | |
|--|-----------------------------|----------|--------|
| | Description | Status | |
| | 9500 90" x 24" Cover | (NULL) | |
| | Part Number Numéro Pièce | Rev. | |
| | 9500ST902420C | 0 | 2 3 |

