



This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT



FRONT





RIGHT



Isometric View



No.	Revisions	Date	By/Par
1	update	12-Nov-24	Boxcad

 Tél: (450) 979-4373 Fax: (450) 979-4626 <a href="http://www.exmweb.com">www.exmweb.com</a>		Flatness Aplatissement Max 3.0mm Projection 
Customer Client	Date	
Drawn By Dessiné Par	BoxCad: BoxCad	Date 19-Apr-16
Material Matière	12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth
Description	Detail Rev.	
9500U2D 72" x 53.75" x 18" Assembly		
Part Number Numéro Pièce	Rev.	1
<b>9500U2D725418</b>	<b>1</b>	17


SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

NOTE	
ITEM	DESCRIPTION
1	NEMA 12, 13 Enclosure (IP55)
2	C/W Standard ground studs on box and cover
3	C/W Standard door stiffener
4	C/W Special inner panel (Sold separately)
5	C/W Standard inner panel mounting studs
6	C/W Eyebolts sold separately (Installed by EXM)
7	C/W Struts installed (Included)

No.	Revisions	Date	By/Par
1	update	12-Nov-24	Boxcad



Isometric View


PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

1	880EB14	2	Eye Bolt M14 (Pack of 2)
1	9500U2D725418GP	1	9500U2D Gland Plate
1	880INT1	4	880 INT1 - Interlock Post Kit
8	STK-Q-07320	0	Flange Lock Nut M10
1	9500U2D725418IP	1	9500U2D 72" x 53.75" Inner Panel
8	STK-Q-07620	0	M10 Plastic Spacer 0.875"
8	STK-Q-04050-10	8	M6 x 10mm Hexagon Socket Head Machine Screw with Nyseal
1	9500U2D725418FD	1	9500U2D 72" x 53.75" Lock Door
1	9500U2D725418LD	1	9500U2D 72" x 53.75" Lock Door
1	9500U2D725418B	1	9500U2D 72" x 53.75" x 18" Body
Qty	Part Number	Rev	Description
Parts List			


	Tél: (450) 979-4373 Fax: (450) 979-4626 <a href="http://www.exmweb.com">www.exmweb.com</a>	Flatness	Max 3.0mm
		Aplatissement	
		Projection	
Customer		Date	
Client		Date	19-Apr-16
Drawn By	BoxCad: BoxCad		
Dessiné Par			
Material	12 Ga Cold Rolled A1008 CS Type B (2.5mm)		
Matière			
Color	Asa-61 Grey	Finish	Smooth
Couleur			
Description	9500U2D 72" x 53.75" x 18" Assembly	Detail Rev.	
Part Number	9500U2D725418	Rev.	2
Numéro Pièce		1	17

This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM



LEFT




FRONT



RIGHT

No.	Revisions	Date	By/Par
1	update	12-Nov-24	Boxcad



Isometric View



Tél: (450) 979-4373  
 Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement  
Max 3.0mm  
Projection

Customer Client	Date
Drawn By / Dessiné Par: BoxCad: BoxCad	Date: 19-Apr-16
Material / Matière: 12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color / Couleur: Asa-61 Grey	Finish / Fini: Smooth
Description: 9500U2D 72" x 53.75" x 18" Body	
Part Number / Numéro Pièce: 9500U2D725418B	Detail Rev.:
Rev. 1	3

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

**STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE**

**HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)**

CUT-OUT	XDIM	YDIM	DESCRIPTION
1	13.438	14.000	Struts CR400 21.500" (Inside)
2	40.313	14.000	Struts CR400 21.500" (Inside)
3	13.438	14.929	STUDS M6 x 10mm (Inside)
4	24.304	14.000	STUDS M6 x 10mm (Inside)
5	40.313	14.929	STUDS M6 x 10mm (Inside)
6	51.179	14.000	STUDS M6 x 10mm (Inside)




	Description	Status	
	9500U2D 72" x 53.75" x 18" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	
	<b>9500U2D725418B</b>	<b>1</b>	4 17

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

<b>STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE</b>			
<b>HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)</b>			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	22.250	3.500	GP STUD M6 x 16mm (Inside)
2	31.500	3.500	GP STUD M6 x 16mm (Inside)




	Description	Status	
	9500U2D 72" x 53.75" x 18" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	5
	<b>9500U2D725418B</b>	<b>1</b>	17

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

<b>STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE</b>			
<b>HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)</b>			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	16.500	9.375	GND STUD M6 x 16mm (Inside)



	Description	Status	
	9500U2D 72" x 53.75" x 18" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	
	<b>9500U2D725418B</b>	<b>1</b>	6 17


This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

**STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE**

**HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)**

CUT-OUT	XDIM	YDIM	DESCRIPTION
1	3.750	8.875	IP STUD M10 x 40mm (Inside)
2	50.000	8.875	IP STUD M10 x 40mm (Inside)
3	3.750	67.125	IP STUD M10 x 40mm (Inside)
4	50.000	67.125	IP STUD M10 x 40mm (Inside)
5	3.750	38.000	IP STUD M10 x 40mm (Inside)
6	50.000	38.000	IP STUD M10 x 40mm (Inside)
7	26.875	8.875	IP STUD M10 x 40mm (Inside)
8	26.875	67.125	IP STUD M10 x 40mm (Inside)
-----			
9	5.875	7.500	IP SUPPORT ANGLE (Inside)
10	47.875	7.500	IP SUPPORT ANGLE (Inside)



	Description		Status
	9500U2D 72" x 53.75" x 18" Body		(NULL)
	Part Number Numéro Pièce		Rev.
	<b>9500U2D725418B</b>		<b>1</b> / 7
			17


This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

**STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE**

**HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)**

CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.732	3.648	GND STUD M6 x 16mm (Inside)
-----			
2	0.748	25.138	PEM FH-M6-15ZI (Inside)
3	0.748	27.264	PEM FH-M6-15ZI (Inside)
4	2.717	25.138	PEM FH-M6-15ZI (Inside)
5	2.717	27.264	PEM FH-M6-15ZI (Inside)




	Description	Status	
	9500U2D 72" x 53.75" x 18" Body	(NULL)	
	Part Number	Rev.	8
	Numéro Pièce	<b>1</b>	17
<b>9500U2D725418B</b>			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par
1	update	12-Nov-24	Boxcad



4	STK-PEM-FH-M6-15ZI	0	PEM Self-Clinching Stud M6 x 15.0mm
4	STK-Q-16030	0	Stud M6 x 10mm Steel
2	9500U2D725418BPA-P	1	9500U2D Inner Panel Support Angle
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
2	STK-Q-74900	0	Eyebolt Lifting Angle (8.750")
1	STK-A-75454	3	Center Post - Sealing Block with Latch Assembly (Large)
1	9500U2D725418CP-P	1	9500U2D 72" Center Post Part
8	STK-Q-16100	0	Stud M10 x 40mm Steel
1	9500U2D725418B-P	1	9500U2D 72" x 53.75" Body Part
2	9500U2D725418_CR400 MS_21.5	0	Commercial Roll Mild Steel (21.5in long)
4	STK-Q-16080	0	Ground Stud M6 x 16mm Steel


Qty	Part Number	Rev	Description
Parts List			



Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement  
Max 3.0mm






Projection



Customer Client		Date
Drawn By / Dessiné Par: BoxCad: BoxCad		Date: 19-Apr-16
Material / Matière: 12 Ga Cold Rolled A1008 CS Type B (2.5mm)		
Color / Couleur: Asa-61 Grey	Finish / Fini: Smooth	
Description: 9500U2D 72" x 53.75" x 18" Body		Detail Rev.
Part Number / Numéro Pièce: <b>9500U2D725418B</b>		Rev. 1 / 9

This drawing is confidential and must not be reproduced or used without the consent of EXM



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



Isometric View



No.	Revisions	Date	By/Par
1	update	12-Nov-24	Boxcad


 Tél: (450) 979-4373 Fax: (450) 979-4626 <a href="http://www.exmweb.com">www.exmweb.com</a>		Flatness Aplatissement Max 3.0mm Projection 
Customer Client		Date
Drawn By Dessiné Par	BoxCad: BoxCad	Date 19-Apr-16
Material Matière	12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth
Description	9500U2D 72" x 53.75" Lock Door	
Part Number Numéro Pièce	9500U2D725418LD	Detail Rev. Rev. 10 1 17

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	23.455	53.511	STUD M6 x 18mm (Inside)
2	23.455	50.511	STUD M6 x 18mm (Inside)
3	23.455	47.511	STUD M6 x 18mm (Inside)
4	22.678	6.179	LARGE CBAR GUIDE (Inside)
5	22.678	59.370	LARGE CBAR GUIDE (Inside)
6	21.822	57.870	LARGE CBAR GUIDE (Inside)
7	2.847	2.028	STUD M6 x 18mm (Inside)
8	2.847	32.854	STUD M6 x 18mm (Inside)
9	2.847	63.521	STUD M6 x 18mm (Inside)
10	20.098	2.028	STUD M6 x 18mm (Inside)
11	20.098	32.854	STUD M6 x 18mm (Inside)
12	20.098	63.521	STUD M6 x 18mm (Inside)
-----			
13	22.688	34.743	HANDLE 885 ESL2A-APHD @ 0.0°
14	1.610	26.363	STUDS M6 x 18mm (Inside)
15	1.610	29.041	STUDS M6 x 18mm (Inside)




	Description	Status
	9500U2D 72" x 53.75" Lock Door	(NULL)
	Part Number Numéro Pièce	Rev.
	<b>9500U2D725418LD</b>	<b>1</b>
		11
		17

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par
1	update	12-Nov-24	Boxcad



**EXM**  
exm

Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement  
Max 3.0mm






Projection

1	STK-K-09572	0	9500 UxD 72" Locking Mechanism Kit
2	STK-Q-16050	1	Stud M6 x 18mm Steel
1	885ESL2A-APHD	1	885 ESL2A-APHD - Zinc Die Cast L-Handle Padlockable Assy - Slot Cylinder
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	9500U2D725418DS1	1	9500U2D 72" x 53.75" Door Stiffener
9	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
3	STK-Q-16410	0	Guide Stud - Largel (No Paint Cap Required)
4	STK-K-09860	7	Cabinet Hinge with Captive Pins
1	9500U2D725418LDG	1	9500U2D 72" x 53.75" Lock Door Gasket
1	9500U2D725418LD-P	1	9500U2D 72" x 53.75" Lock Door Part
QTY	Part Number	Rev	Description
Parts List			

Customer Client	Date
Drawn By Dessiné Par	Date 19-Apr-16
Material Matière	BoxCad: BoxCad
Color Couleur	12 Ga Cold Rolled A1008 CS Type B (2.5mm)
Asa-61 Grey	Finish Fini
Smooth	Detail Rev.
Description	
9500U2D 72" x 53.75" Lock Door	
Part Number Numéro Pièce	Rev. 12
<b>9500U2D725418LD</b>	<b>1</b> 17

This drawing is confidential and must not be reproduced or used without the consent of EXM



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



Isometric View



No.	Revisions	Date	By/Par
1	update	12-Nov-24	Boxcad

 Tél: (450) 979-4373 Fax: (450) 979-4626 <a href="http://www.exmweb.com">www.exmweb.com</a>		Flatness Aplatissement Max 3.0mm Projection 
Customer Client	Date	
Drawn By Dessiné Par	BoxCad: BoxCad	Date 19-Apr-16
Material Matière	12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth
Description 9500U2D 72" x 53.75" Lock Door		Detail Rev.
Part Number Numéro Pièce	Rev. 1	13 / 17

SEE BILL OF MATERIAL ON LAST PAGE

**9500U2D725418FD**


This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

**STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE**

**HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)**

CUT-OUT	XDIM	YDIM	DESCRIPTION
1	22.313	6.118	LARGE CBAR GUIDE (Inside)
2	22.313	59.431	LARGE CBAR GUIDE (Inside)
3	2.375	2.028	STUD M6 x 18mm (Inside)
4	2.375	32.854	STUD M6 x 18mm (Inside)
5	2.375	63.521	STUD M6 x 18mm (Inside)
6	19.626	2.028	STUD M6 x 18mm (Inside)
7	19.626	32.854	STUD M6 x 18mm (Inside)
8	19.626	63.521	STUD M6 x 18mm (Inside)
-----			
9	22.312	34.743	HANDLE 885 ESL2A-APHD @ 0.0°
10	23.247	26.363	STUDS M6 x 18mm (Inside)
11	23.247	29.041	STUDS M6 x 18mm (Inside)




	Description	Status
	9500U2D 72" x 53.75" Lock Door	(NULL)
Part Number Numéro Pièce <b>9500U2D725418FD</b>	Rev.	14
	<b>1</b>	17

This drawing is confidential and must not be reproduced or used without the consent of EXM



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par
1	update	12-Nov-24	Boxcad



2	STK-Q-16050	1	Stud M6 x 18mm Steel
2	STK-Q-07220	1	M6 Nylon Insert Lock Nut
1	STK-Q-47562	0	9500 Lower Closing Bar 72" (cam)
2	STK-A-90025	3	9500 - Cabinet Closing Bar End (Large)
1	STK-Q-47552	0	9500 Upper Closing Bar 72" (cam)
1	STK-Q-90051	3	5412 ES - Handle Cam Spacer
1	STK-A-50538	3	9500 Handle Cam Assembly (Right Side, Grip 36mm)
1	885ESL2A-APHD	1	885 ESL2A-APHD - Zinc Die Cast L-Handle Padlockable Assy - Slot Cylinder
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	9500U2D725418DS1	1	9500U2D 72" x 53.75" Door Stiffener
6	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
2	STK-Q-16410	0	Guide Stud - Largel (No Paint Cap Required)
4	STK-K-09860	7	Cabinet Hinge with Captive Pins
1	9500U2D725418FDG	1	9500U2D 72" x 53.75" Flange Door Gasket
1	9500U2D725418FD-P	1	9500U2D 72" x 53.75" Lock Door Part

QTY	Part Number	Rev	Description
Parts List			


 Tél: (450) 979-4373 Fax: (450) 979-4626 <a href="http://www.exmweb.com">www.exmweb.com</a>	Flatness Aplatissement	Max 3.0mm
	Projection	
Customer Client	Date	
Drawn By Dessiné Par	BoxCad: BoxCad	Date 19-Apr-16
Material Matière	12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth
Description	Detail Rev.	
9500U2D 72" x 53.75" Lock Door		
Part Number Numéro Pièce	Rev.	15
<b>9500U2D725418FD</b>	<b>1</b>	17

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP



FRONT


60.000

0.000

RIGHT

SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par
1	update	12-Nov-24	Boxcad



Isometric View




Tél: (450) 979-4373  
 Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 19-Apr-16
Material Matière 12 Ga Galvanized (2.5mm)	
Color Couleur Unpainted	Finish Fini Unpainted


Description 9500U2D 72" x 53.75" Inner Panel	Detail Rev.
---	-------------



Part Number Numéro Pièce <b>9500U2D725418IP</b>	Rev. <b>1</b>	16 17
---	------------------	----------

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par
1	update	12-Nov-24	Boxcad



 Tél: (450) 979-4373 Fax: (450) 979-4626 <a href="http://www.exmweb.com">www.exmweb.com</a>		Flatness Aplatissement  Max 3.0mm
Customer Client		Date
Drawn By Dessiné Par BoxCad: BoxCad		Date 19-Apr-16
Material Matière 12 Ga Galvanized (2.5mm)		
Color Couleur Unpainted	Finish Fini Unpainted	
Description 9500U2D 72" x 53.75" Inner Panel		Detail Rev.
Part Number Numéro Pièce <b>9500U2D725418IP</b>		Rev. 17 <b>1</b> 17

Qty	Part Number	Rev	Description
1	9500U2D725418IP-P	1	9500U2D 72" x 53.75" Inner Panel Part
Parts List			